Accepted Manuscript

Title: Preemptive anti-cytomegalovirus therapy in high-risk (donor positive, recipient negative cytomegalovirus serostatus) kidney transplant recipients

Authors: Jumpei Hasegawa, Shuji Hatakeyama, Sachiko Wakai, Kazuya Omoto, Masayoshi Okumi, Kazunari Tanabe, Makiko Mieno, Hiroki Shirakawa

PII: S1201-9712(17)30248-5

DOI: https://doi.org/10.1016/j.ijid.2017.09.023

Reference: IJID 3046

To appear in: International Journal of Infectious Diseases

Received date: 18-12-2016 Revised date: 20-9-2017 Accepted date: 20-9-2017

Please cite this article as: Hasegawa Jumpei, Hatakeyama Shuji, Wakai Sachiko, Omoto Kazuya, Okumi Masayoshi, Tanabe Kazunari, Mieno Makiko, Shirakawa Hiroki.Preemptive anti-cytomegalovirus therapy in high-risk (donor positive, recipient negative cytomegalovirus serostatus) kidney transplant recipients. *International Journal of Infectious Diseases* https://doi.org/10.1016/j.ijid.2017.09.023

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Revised (changes highlighted)

Preemptive anti-cytomegalovirus therapy in high-risk (donor positive, recipient negative cytomegalovirus serostatus) kidney transplant recipients

Jumpei Hasegawa, a, b Shuji Hatakeyama, c, d, s Sachiko Wakai, Kazuya Omoto, Masayoshi Okumi, Kazunari Tanabe, Makiko Mieno, Hiroki Shirakawa Shirakawa Sachiko Wakai, Kazuya Omoto, Masayoshi Okumi, Kazunari Tanabe, Makiko Mieno, Kazuya Omoto, Kazuya Omoto, Masayoshi Okumi, Kazuya Omoto, Kazuya Omoto, Masayoshi Okumi, Kazuya Omoto, Kazuy

^aDepartment of Nephrology, Tokyo Metropolitan Health and Medical Treatment Corporation Okubo Hospital, Kabukicho, Shinjuku-ku, Tokyo 160-8488, Japan; ^bDepartment of Urology, Tokyo Women's Medical University, Kawadacho, Shinjuku-ku, Tokyo 162-8666, Japan; ^cDivision of General Internal Medicine/Division of Infectious Diseases, Jichi Medical University Hospital, Yakushiji, Shimotsuke-shi, Tochigi 329-0498, Japan; ^dDepartment of Internal Medicine, Tokyo Metropolitan Health and Medical Treatment Corporation Okubo Hospital, Kabukicho, Shinjuku-ku, Tokyo 160-8488, Japan; ^eDepartment of Medical Informatics, Center for Information, Jichi Medical University, Yakushiji, Shimotsuke-shi, Tochigi 329-0498, Japan; ^fDepartment of Urology, Tokyo Metropolitan Health and Medical Treatment Corporation Okubo Hospital, Kabukicho, Shinjuku-ku, Tokyo 160-8488, Japan

*Corresponding author:

Shuji Hatakeyama, M.D., Ph.D., Division of General Internal Medicine/Division of

1

Download English Version:

https://daneshyari.com/en/article/8739141

Download Persian Version:

https://daneshyari.com/article/8739141

<u>Daneshyari.com</u>