

Accepted Manuscript


Title: Standardization of Rubella Immunoassays

Author: C. Vauloup-Fellous

PII: S1386-6532(18)30039-8
DOI: <https://doi.org/10.1016/j.jcv.2018.02.006>
Reference: JCV 3953

To appear in: *Journal of Clinical Virology*

Received date: 2-11-2017
Revised date: 1-2-2018
Accepted date: 9-2-2018



Please cite this article as: Vauloup-Fellous C. Standardization of Rubella Immunoassays. *Journal of Clinical Virology* <https://doi.org/10.1016/j.jcv.2018.02.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Standardization of Rubella Immunoassays

C. Vauloup-Fellous

AP-HP, Hôpital Paul Brousse, Department of Virology, WHO Rubella NRL, 94804 Villejuif, France ; Univ Paris-Sud, INSERM U1193, Villejuif, 94804 France ; Groupe de Recherche sur les Infections pendant la Grossesse (GRIG).

Corresponding author:

Corresponding author:

Christelle Vauloup-Fellous

Laboratoire de Virologie

Hôpital Paul Brousse

12 rue Paul Vaillant Couturier

94800 Villejuif

France

Tel: 00 33 1 45 59 33 14

Fax: 00 33 1 45 59 37 24

Electronic address: christelle.vauloup@aphp.fr.

HIGHLIGHTS

- Immunity to rubella virus is commonly determined by measuring rubella-specific IgG.
- Standardization of rubella-specific IgG assays is not effective.
- Lack of standardization may lead to misinterpretation of results.

Download English Version:

<https://daneshyari.com/en/article/8739783>

Download Persian Version:

<https://daneshyari.com/article/8739783>

[Daneshyari.com](https://daneshyari.com)