Accepted Manuscript

Effectiveness of echinocandins versus fluconazole for treatment of persistent candidemia: a time-dependent analysis

Kuan-Yin Lin, Pao-Yu Chen, Yu-Chung Chuang, Jann-Tay Wang, Hsin-Yun Sun, Wang-Huei Sheng, Yee-Chun Chen, Shan-Chwen Chang

 PII:
 S0163-4453(18)30178-6

 DOI:
 10.1016/j.jinf.2018.05.011


 Reference:
 YJINF 4112

To appear in: Journal of Infection

Received date:15 March 2018Revised date:26 May 2018Accepted date:28 May 2018

Please cite this article as: Kuan-Yin Lin, Pao-Yu Chen, Yu-Chung Chuang, Jann-Tay Wang, Hsin-Yun Sun, Wang-Huei Sheng, Yee-Chun Chen, Shan-Chwen Chang, Effectiveness of echinocandins versus fluconazole for treatment of persistent candidemia: a time-dependent analysis, *Journal of Infection* (2018), doi: 10.1016/j.jinf.2018.05.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- Persistence for 5 days or longer was common in adult patients with candidemia.
- We used a time-dependent analysis to evaluate the impact of antifungal therapy.
- Echinocandins improved mycological eradication for treating persistent candidemia.

Download English Version:

https://daneshyari.com/en/article/8740336

Download Persian Version:

https://daneshyari.com/article/8740336

Daneshyari.com