

Accepted Manuscript

The burden of Invasive Aspergillosis in patients with haematological malignancy: a meta-analysis and systematic review.

R.J. van de Peppel , L.G. Visser , O.M. Dekkers , M.G.J. de Boer

PII: S0163-4453(18)30102-6
DOI: [10.1016/j.jinf.2018.02.012](https://doi.org/10.1016/j.jinf.2018.02.012)
Reference: YJINF 4066



To appear in: *Journal of Infection*

Received date: 18 December 2017
Revised date: 13 February 2018
Accepted date: 16 February 2018

Please cite this article as: R.J. van de Peppel , L.G. Visser , O.M. Dekkers , M.G.J. de Boer , The burden of Invasive Aspergillosis in patients with haematological malignancy: a meta-analysis and systematic review., *Journal of Infection* (2018), doi: [10.1016/j.jinf.2018.02.012](https://doi.org/10.1016/j.jinf.2018.02.012)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Invasive Aspergillosis is a frequently occurring complication of treatment for leukaemia
- Even when antifungal prophylaxis is used, the risk of IA remains substantial
- The case fatality rate of IA has improved over the years but is still estimated at 29%

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8740393>

Download Persian Version:

<https://daneshyari.com/article/8740393>

[Daneshyari.com](https://daneshyari.com)