Accepted Manuscript

Angiopoietin-like protein 2 promotes chondrogenic differentiation during bone growth as a cartilage matrix factor

Hironori Tanoue, M.D., Jun Morinaga, M.D., Ph.D., Tatsuya Yoshizawa, Ph.D., Masaki Yugami, M.D., Hitoshi Itoh, M.D., Takayuki Nakamura, M.D., Ph.D., Yusuke Uehara, M.D., Ph.D., Tetsuro Masuda, M.D., Ph.D., Haruki Odagiri, M.D., Ph.D., Taichi Sugizaki, M.D., Ph.D., Tsuyoshi Kadomatsu, Ph.D., Keishi Miyata, M.D., Ph.D., Motoyoshi Endo, M.D., Ph.D., Kazutoyo Terada, Ph.D., Hiroki Ochi, D.V.M., Ph.D., Shu Takeda, M.D., Ph.D., Kazuya Yamagata, M.D., Ph.D., Takaichi Fukuda, M.D., Ph.D., Hiroshi Mizuta, M.D., Ph.D., Yuichi Oike, M.D., Ph.D.

PII: \$1063-4584(17)31264-5

DOI: 10.1016/j.joca.2017.10.011

Reference: YJOCA 4104

To appear in: Osteoarthritis and Cartilage

Received Date: 21 February 2017
Revised Date: 30 August 2017
Accepted Date: 10 October 2017

Please cite this article as: Tanoue H, Morinaga J, Yoshizawa T, Yugami M, Itoh H, Nakamura T, Uehara Y, Masuda T, Odagiri H, Sugizaki T, Kadomatsu T, Miyata K, Endo M, Terada K, Ochi H, Takeda S, Yamagata K, Fukuda T, Mizuta H, Oike Y, Angiopoietin-like protein 2 promotes chondrogenic differentiation during bone growth as a cartilage matrix factor, *Osteoarthritis and Cartilage* (2017), doi: 10.1016/j.joca.2017.10.011.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

1	Angiopoletin-like protein 2 promotes chondrogenic differentiation
2	during bone growth as a cartilage matrix factor
3	
4	
5	Hironori Tanoue, M.D. ^{1,2} , Jun Morinaga, M.D., Ph.D. ¹ , Tatsuya Yoshizawa Ph.D. ³ ,
6	Masaki Yugami, M.D. ^{1,2} , Hitoshi Itoh, M.D. ^{1,2} , Takayuki Nakamura M.D., Ph.D. ² ,
7	Yusuke Uehara, M.D., Ph.D. ² , Tetsuro Masuda, M.D., Ph.D. ² , Haruki Odagiri, M.D.,
8	Ph.D. ² , Taichi Sugizaki, M.D., Ph.D. ¹ , Tsuyoshi Kadomatsu, Ph.D. ¹ , Keishi Miyata,
9	M.D., Ph.D. ¹ , Motoyoshi Endo, M.D., Ph.D. ¹ , Kazutoyo Terada, Ph.D. ¹ , Hiroki Ochi
10	D.V.M., Ph.D. ⁵ , Shu Takeda M.D.,Ph.D. ⁶ , Kazuya Yamagata M.D.,Ph.D. ³ , Takaichi
11	Fukuda M.D., Ph.D. ⁴ , Hiroshi Mizuta, M.D., Ph.D. ² , and Yuichi Oike, M.D., Ph.D. ^{1,7*}
12	
13	¹ Department of Molecular Genetics, ² Department of Orthopaedic Surgery, ³ Department
14	of Medical Biochemistry, ⁴ Department of Anatomy and Neurobiology, Graduate School
15	of Medical Sciences, Kumamoto University, 1-1-1 Honjo, Chuo-ku, Kumamoto
16	860-8556, Japan, ⁵ Department of Physiology and Cell Biology, Graduate School of
17	Medical and Dental Sciences, Tokyo Medical and Dental University, 1-5-45 Yushima,
18	Bunkvo-ku, Tokvo 113-8510, Japan, ⁶ Endocrine Center, Toranomon Hospital, Tokvo,

Download English Version:

https://daneshyari.com/en/article/8741747

Download Persian Version:

https://daneshyari.com/article/8741747

<u>Daneshyari.com</u>