Pretransplant serum BAFF levels are associated with pretransplant HLA immunization and renal allograft survival

Justa Friebus-Kardash, Benjamin Wilde, Deniz Keles, Andreas Heinold, Andreas Kribben, Oliver Witzke, Falko Markus Heinemann, Ute Eisenberger

PII: S0966-3274(17)30173-9
DOI: doi:10.1016/j.trim.2017.12.004
Reference: TRIM 1120

To appear in: *Transplant Immunology*

Received date: 19 November 2017
Revised date: 18 December 2017
Accepted date: 19 December 2017

Please cite this article as: Justa Friebus-Kardash, Benjamin Wilde, Deniz Keles, Andreas Heinold, Andreas Kribben, Oliver Witzke, Falko Markus Heinemann, Ute Eisenberger , Pretransplant serum BAFF levels are associated with pretransplant HLA immunization and renal allograft survival. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Trim(2017), doi:10.1016/j.trim.2017.12.004

Pretransplant serum BAFF levels are associated with pretransplant HLA immunization and renal allograft survival

Justa Friebus-Kardash[1] MD, Benjamin Wilde[1] MD, Deniz Keles[1] MD, Andreas Heinold[2] PhD, Andreas Kribben[1] MD, Oliver Witzke[2,3] MD, Falko Markus Heinemann[2] PhD, Ute Eisenberger[1] MD

[1]Department of Nephrology, University of Duisburg-Essen, University Hospital Essen, Germany

[2]Institute for Transfusion Medicine and Transplantimmunology, University of Duisburg-Essen, University Hospital Essen, Germany

[3]Department of Infectious Diseases, University of Duisburg-Essen, University Hospital Essen, Germany

***Correspondence to*:**

Prof. Dr. Ute Eisenberger MD
Department of Nephrology, University Hospital Essen, University of Duisburg-Essen, Hufelandstr. 55, 45147 Essen, Germany
Tel: +49 (0) 201-7236559 Fax: : +49 (0) 201-7236907

Email: ute.eisenberger@uk-essen.de