Accepted Manuscript

Rapid detection of antibiotic resistance by MALDI-TOF mass spectrometry using a novel direct-on-target microdroplet growth assay

Evgeny A. Idelevich, Katrin Sparbier, Markus Kostrzewa, Karsten Becker

PII: S1198-743X(17)30578-5

DOI: 10.1016/j.cmi.2017.10.016

Reference: CMI 1100

To appear in: Clinical Microbiology and Infection

Received Date: 31 August 2017
Revised Date: 4 October 2017
Accepted Date: 4 October 2017

Please cite this article as: Idelevich EA, Sparbier K, Kostrzewa M, Becker K, Rapid detection of antibiotic resistance by MALDI-TOF mass spectrometry using a novel direct-on-target microdroplet growth assay, *Clinical Microbiology and Infection* (2017), doi: 10.1016/j.cmi.2017.10.016.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

1	Rapid detection of antibiotic resistance by MALDI-TOF mass spectrometry using a
2	novel direct-on-target microdroplet growth assay
3	
4	Evgeny A. Idelevich ¹ , Katrin Sparbier ² , Markus Kostrzewa ² , Karsten Becker ¹ *
5	
6	¹ Institute of Medical Microbiology, University Hospital Münster, Münster, Germany
7	² Bruker Daltonik GmbH, Bremen, Germany
8	
9	
10	
11	* Correspondence:
12	Karsten Becker
13	kbecker@uni-muenster.de
14	
15	
16	(A part of this work was presented as poster at the 27 th European Congress of Clinical
17	Microbiology and Infectious Diseases (ECCMID), $22^{nd} - 25^{th}$ April 2017, Vienna, Austria
18	[P0173])
19	
20	

Download English Version:

https://daneshyari.com/en/article/8744763

Download Persian Version:

https://daneshyari.com/article/8744763

<u>Daneshyari.com</u>