


Accepted Manuscript

Comparative outcomes of cefazolin *versus* nafcillin for methicillin-susceptible *Staphylococcus aureus* bacteremia: a prospective multi-center cohort study in Korea

Shinwon Lee, Kyoung-Ho Song, Sook-In Jung, Wan Beom Park, Sun Hee Lee, Yeon-Sook Kim, Yee Gyung Kwak, Young Keun Kim, Sung min Kiem, Hye-In Kim, Eu Suk Kim, Kyung-Hwa Park, Nam Joong Kim, Hee-Chang Jang, Hong Bin Kim, the Korea Infectious Diseases (KIND) study group



PII: S1198-743X(17)30355-5

DOI: [10.1016/j.cmi.2017.07.001](https://doi.org/10.1016/j.cmi.2017.07.001)

Reference: CMI 997

To appear in: *Clinical Microbiology and Infection*

Received Date: 17 March 2017

Revised Date: 1 July 2017

Accepted Date: 2 July 2017

Please cite this article as: Lee S, Song K-H, Jung S-I, Park WB, Lee SH, Kim Y-S, Kwak YG, Kim YK, Kiem Sm, Kim H-I, Kim ES, Park K-H, Kim NJ, Jang H-C, Kim HB, the Korea Infectious Diseases (KIND) study group Comparative outcomes of cefazolin *versus* nafcillin for methicillin-susceptible *Staphylococcus aureus* bacteremia: a prospective multi-center cohort study in Korea, *Clinical Microbiology and Infection* (2017), doi: 10.1016/j.cmi.2017.07.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Comparative outcomes of cefazolin *versus* nafcillin for methicillin-susceptible
Staphylococcus aureus bacteremia: a prospective multi-center cohort study in Korea**

Shinwon Lee^{a,*}, Kyoung-Ho Song^{b,*}, Sook-In Jung^c, Wan Beom Park^d, Sun Hee Lee^a, Yeon-Sook Kim^e, Yee Gyung Kwak^g, Young Keun Kim^h, Sung min Kiemⁱ, Hye-In Kim^j, Eu Suk Kim^b, Kyung-Hwa Park^c, Nam Joong Kim^d, Hee-Chang Jang^{f,#}, Hong Bin Kim^{b,#}, and the Korea Infectious Diseases (KIND) study group

Department of Internal Medicine, Pusan National University School of Medicine and Medical Research Institute, Pusan National University Hospital, Busan, Republic of Korea^a;

Department of Internal Medicine, Seoul National University College of Medicine and Seoul National University Bundang Hospital, Seongnam, Republic of Korea^b; Department of Infectious Diseases, Chonnam National University Medical School, Gwangju, Republic of Korea^c; Department of Internal Medicine, Seoul National University College of Medicine and Seoul National University Hospital, Seoul, Republic of Korea^d; Division of Infectious Diseases, Chungnam National University Hospital, Chungnam National University School of Medicine, Daejeon, Republic of Korea^e; Department of Internal Medicine, Chonnam National University Hwasun Hospital, Hwasun, Jeollanam-do, Republic of Korea^f; Department of Internal Medicine, Inje University Ilsan Paik Hospital, Goyang, Republic of Korea^g; Department of Internal Medicine, Yonsei University Medical School, Wonju, Republic of Korea^h; Department of Internal Medicine, Inje University College of Medicine, Busan, Republic of Koreaⁱ; Department of Internal Medicine, Daegu Fatima Hospital, Daegu, Republic of Korea^j

Download English Version:

<https://daneshyari.com/en/article/8744905>

Download Persian Version:

<https://daneshyari.com/article/8744905>

[Daneshyari.com](https://daneshyari.com)