

# Accepted Manuscript

Assessment of the automated multiplex-PCR Unyvero i60 ITI<sup>®</sup> cartridge system to diagnose prosthetic joint infection: a multicenter study

D. Malandain, P. Bémer, A.G. Leroy, J. Léger, C. Plouzeau, A.S. Valentin, A. Jolivet-Gougeon, D. Tandé, G. Héry-Arnaud, C. Lemarié, M. Kempf, L. Bret, C. Burucoa, S. Corvec

PII: S1198-743X(17)30277-X

DOI: [10.1016/j.cmi.2017.05.017](https://doi.org/10.1016/j.cmi.2017.05.017)

Reference: CMI 956

To appear in: *Clinical Microbiology and Infection*


Received Date: 9 February 2017

Revised Date: 17 May 2017

Accepted Date: 20 May 2017

Please cite this article as: Malandain D, Bémer P, Leroy A, Léger J, Plouzeau C, Valentin A, Jolivet-Gougeon A, Tandé D, Héry-Arnaud G, Lemarié C, Kempf M, Bret L, Burucoa C, Corvec S, Centre de Référence des Infections Ostéo-articulaires du Grand Ouest (CRIOGO) Study Team, Assessment of the automated multiplex-PCR Unyvero i60 ITI<sup>®</sup> cartridge system to diagnose prosthetic joint infection: a multicenter study, *Clinical Microbiology and Infection* (2017), doi: 10.1016/j.cmi.2017.05.017.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



2 **Assessment of the automated multiplex-PCR Unyvero i60 ITI<sup>®</sup>**  
3 **cartridge system to diagnose prosthetic joint infection: a**  
4 **multicenter study**

5 Malandain D<sup>1</sup>, Bémer P<sup>1</sup>, Leroy AG<sup>1</sup>, Léger J<sup>2</sup>, Plouzeau C<sup>3</sup>, Valentin AS<sup>4</sup>, Jolivet-Gougeon  
6 A<sup>5</sup>, Tandé D<sup>6</sup>, Héry-Arnaud G<sup>6</sup>, Lemarié C<sup>7</sup>, Kempf M<sup>7</sup>, Bret L<sup>8</sup>, Burucoa C<sup>3</sup>, Corvec S<sup>1</sup>;  
7 Centre de Référence des Infections Ostéo-articulaires du Grand Ouest (CRIOGO) Study  
8 Team.

9 <sup>1</sup> CHU Nantes, Laboratoire de Bactériologie, Nantes, France

10 <sup>2</sup> Inserm, CIC 1415, Tours, France

11 <sup>3</sup> CHU Poitiers, Laboratoire de Bactériologie, Poitiers, France

12 <sup>4</sup> CHU Tours, Laboratoire de Bactériologie, Tours, France

13 <sup>5</sup> CHU Rennes, Laboratoire de Bactériologie, Rennes, France

14 <sup>6</sup> CHU Brest, Laboratoire de Bactériologie, Brest, France

15 <sup>7</sup> CHU Angers, Laboratoire de Bactériologie, Angers, France

16 <sup>8</sup> CH Orléans, Laboratoire de Bactériologie, Orléans, France

17 **Keywords:** Prosthetic-Joint-Infection, multicenter study, microbiological diagnosis, multiplex  
18 PCR, Unyvero i60 ITI<sup>®</sup> system

19 **Running title:** Automated multiplex PCR for diagnosis of PJI  
20

Download English Version:

<https://daneshyari.com/en/article/8744941>

Download Persian Version:

<https://daneshyari.com/article/8744941>

[Daneshyari.com](https://daneshyari.com)