

Accepted Manuscript

Title: Establishing a Safe, Rapid, Convenient and Low-cost Antiviral Assay of Interferon Bioactivity Based on Recombinant VSV Expressing GFP

Authors: Weiye Chen, Zhiyuan Wen, Jialin Zhang, Cuicui Li, Kehe Huang, Zhigao Bu



PII: S0166-0934(17)30393-2
DOI: <http://dx.doi.org/10.1016/j.jviromet.2017.08.007>
Reference: VIRMET 13309

To appear in: *Journal of Virological Methods*

Received date: 19-6-2017
Revised date: 13-8-2017
Accepted date: 14-8-2017

Please cite this article as: Chen, Weiye, Wen, Zhiyuan, Zhang, Jialin, Li, Cuicui, Huang, Kehe, Bu, Zhigao, Establishing a Safe, Rapid, Convenient and Low-cost Antiviral Assay of Interferon Bioactivity Based on Recombinant VSV Expressing GFP. *Journal of Virological Methods* <http://dx.doi.org/10.1016/j.jviromet.2017.08.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Establishing a Safe, Rapid, Convenient and Low-cost Antiviral Assay of Interferon Bioactivity Based on Recombinant VSV Expressing GFP

Weiye Chen¹, Zhiyuan Wen¹, Jialin Zhang¹, Cuicui Li¹, Kehe Huang², and Zhigao Bu^{1*}

¹ State Key Laboratory of Veterinary Biotechnology, Harbin Veterinary Research Institute, Chinese Academy of Agricultural Sciences (CAAS), 678 Haping Road, Harbin 150001, People's Republic of China.

² College of Veterinary Medicine, Nanjing agricultural University, NO.1 Weigang, Nanjing 210095, People's Republic of China.

*Corresponding authors. Zhigao Bu: Phone: +86-451-51051727. Fax: +86-451-51997166. E-mail: buzhighao@caas.cn.

Highlights

- We established a Safe, Rapid, Convenient and Low-cost antiviral assay of IFN based on recombinant VSV/GFP.
- The half reduction of virus replication was quantified by assaying GFP expressed by VSV/GFP after only one step of lysis which save much time.
- The VSV/GFP were lysed and lost activity during the assay, so that this method is very safe.
- This method had good reproducibility
- This method established here has similar results with those obtained by the staining method.

Download English Version:

<https://daneshyari.com/en/article/8747135>

Download Persian Version:

<https://daneshyari.com/article/8747135>

[Daneshyari.com](https://daneshyari.com)