


# Accepted Manuscript

eIF4A2 is a host factor required for efficient HIV-1 replication

Jerry Kwame Ndzinu, Hiroaki Takeuchi, Hideki Saito, Takeshi Yoshida, Shoji Yamaoka



PII: S1286-4579(18)30107-2

DOI: [10.1016/j.micinf.2018.05.001](https://doi.org/10.1016/j.micinf.2018.05.001)

Reference: MICINF 4585

To appear in: *Microbes and Infection*

Received Date: 13 April 2018

Revised Date: 9 May 2018

Accepted Date: 10 May 2018

Please cite this article as: J.K. Ndzinu, H. Takeuchi, H. Saito, T. Yoshida, S. Yamaoka, eIF4A2 is a host factor required for efficient HIV-1 replication, *Microbes and Infection* (2018), doi: 10.1016/j.micinf.2018.05.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1                   **eIF4A2 is a host factor required for efficient HIV-1 replication**

2  
3       Jerry Kwame Ndzinu, Hiroaki Takeuchi\*, Hideki Saito, Takeshi Yoshida and Shoji Yamaoka\*

4  
5       Department of Molecular Virology, Graduate School of Medical and Dental Sciences, Tokyo  
6       Medical and Dental University, 1-5-45 Yushima, Bunkyo-Ku, Tokyo, 113-8519, Japan

7  
8       JKN and HT contributed equally to this article.

9       \*Corresponding author

10       E-mail: htake.molv@tmd.ac.jp (HT); shojimmb@tmd.ac.jp (SY)

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21

Download English Version:

<https://daneshyari.com/en/article/8749051>

Download Persian Version:

<https://daneshyari.com/article/8749051>

[Daneshyari.com](https://daneshyari.com)