Accepted Manuscript

Identification and characterization of arginine finger–like motifs, and endosome-lysosome-basolateral sorting signals within ectopically expressed CirA, a *Coxiella burnetii* type IV secreted effector protein

Mary M. Weber, Robert Faris, Erin J. van Schaik, James E. Samuel

PII: S1286-4579(18)30002-9

DOI: 10.1016/j.micinf.2017.12.013

Reference: MICINF 4550

To appear in: Microbes and Infection

Received Date: 28 January 2017
Revised Date: 17 October 2017
Accepted Date: 20 December 2017

Please cite this article as: M.M. Weber, R. Faris, E.J. van Schaik, J.E. Samuel, Identification and characterization of arginine finger–like motifs, and endosome-lysosome-basolateral sorting signals within ectopically expressed CirA, a *Coxiella burnetii* type IV secreted effector protein, *Microbes and Infection* (2018), doi: 10.1016/j.micinf.2017.12.013.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

1	Identification and characterization of arginine finger-like motifs, and endosome-lysosome-
2	basolateral sorting signals within ectopically expressed CirA, a Coxiella burnetii type IV
3	secreted effector protein
4	
5	Mary M. Weber ¹ †, Robert Faris ¹ †, Erin J, van Schaik ¹ , James E. Samuel ^{1*}
6	
7	¹ Department of Microbial Pathogenesis and Immunology, Texas A&M Health Science Center,
8	College of Medicine, Bryan, TX 77807, USA
9	†Present address: Department of Microbiology and Immunology, University of Iowa, Iowa City,
10	IA 55242, USA
11	
12	* Correspondence: <u>jsamuel@medicine.tamhsc.edu</u>
13	
14	Running title: Functional motifs of ectopically expressed CirA
15	
16	Keywords: Coxiella burnetii, Dot/Icm, CirA, Rho GTPase
17	
18	
19	
20	Abstract
21	Coxiella burnetii is an obligate intracellular pathogen that replicates in an endolysosome-
22	like compartment termed the Coxiella-containing vacuole (CCV). Formation of this unique
23	replicative niche requires delivery of bacterial effector proteins into the host cytosol where they

Download English Version:

https://daneshyari.com/en/article/8749068

Download Persian Version:

https://daneshyari.com/article/8749068

Daneshyari.com