

Accepted Manuscript

Title: miRNA-221 and miRNA-222 are Promising Biomarkers for Progression of Liver Fibrosis in HCV Egyptian Patients

Authors: Amanda Abdel-Al, Eman El-Ahwany, Mona Zoheiry, Marwa Hassan, Amged Ouf, Hoda Abu-Taleb, Ali Abdel Rahim, Mohamed Darwish El-Talkawy, Suher Zada



PII: S0168-1702(18)30281-8
DOI: <https://doi.org/10.1016/j.virusres.2018.06.007>
Reference: VIRUS 97427

To appear in: *Virus Research*

Received date: 12-5-2018
Revised date: 17-6-2018
Accepted date: 18-6-2018

Please cite this article as: Abdel-Al A, El-Ahwany E, Zoheiry M, Hassan M, Ouf A, Abu-Taleb H, Rahim AA, El-Talkawy MD, Zada S, miRNA-221 and miRNA-222 are Promising Biomarkers for Progression of Liver Fibrosis in HCV Egyptian Patients, *Virus Research* (2018), <https://doi.org/10.1016/j.virusres.2018.06.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

miRNA-221 and miRNA-222 are Promising Biomarkers for Progression of Liver Fibrosis in HCV Egyptian Patients

Amanda Abdel-Al¹, Eman El-Ahwany², Mona Zoheiry², Marwa Hassan², Amged Ouf¹, Hoda Abu-Taleb³, Ali Abdel Rahim⁴, Mohamed Darwish El-Talkawy⁴, Suher Zada¹

¹Biology Department, American University in Cairo, Cairo, Egypt.

²Immunology Department, ³Environmental Department, ⁴Hepato-Gastroenterology Department, Theodor Bilharz Research Institute, Giza, Egypt.

Running Title: Liver Fibrosis Biomarkers in HCV Patients.

* Please address all correspondence to:

Dr. Marwa Hassan

Immunology Department, Theodor Bilharz Research Institute

Warrak El-Hadar, postal code: 12411.

Email: marwahassan_777@yahoo.com

Telephone number: 02-01062309003

Highlights:

- miRNA-16, -146a, -221 and -222 were all increased in early and late fibrosis.
- miRNA-222 had the highest sensitivity and specificity in early and late fibrosis.

Download English Version:

<https://daneshyari.com/en/article/8751731>

Download Persian Version:

<https://daneshyari.com/article/8751731>

[Daneshyari.com](https://daneshyari.com)