

Accepted Manuscript

Title: Segmentation of the rabies virus genome

Authors: Yuya Hidaka, Chang-Kweng Lim, Mutsuyo Takayama-Ito, Chun-Ho Park, Kazunori Kimitsuki, Nozomi Shiwa, Ken-ichi Inoue, Takuya Itou



PII: S0168-1702(18)30089-3
DOI: <https://doi.org/10.1016/j.virusres.2018.05.017>
Reference: VIRUS 97409

To appear in: *Virus Research*

Received date: 20-2-2018
Revised date: 17-5-2018
Accepted date: 18-5-2018

Please cite this article as: Hidaka Y, Lim C-Kweng, Takayama-Ito M, Park C-Ho, Kimitsuki K, Shiwa N, Inoue K-ichi, Itou T, Segmentation of the rabies virus genome, *Virus Research* (2018), <https://doi.org/10.1016/j.virusres.2018.05.017>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Research article

Title: Segmentation of the rabies virus genome

Authors: Yuya Hidaka^a, Chang-Kweng Lim^b, Mutsuyo Takayama-Ito^b, Chun-Ho Park^c, Kazunori Kimitsuki^c, Nozomi Shiwa^c, Ken-ichi Inoue^{d, e}, Takuya Itou^{a*}

Authors' affiliations and addresses:

^a Nihon University Veterinary Research Center, Fujisawa, Kanagawa 252-0880, Japan

^b Department of Virology 1, National Institute of Infectious Diseases, Shinjuku, Tokyo 162-0052, Japan

^c Laboratory of Veterinary Pathology, Kitasato University, Towada, Aomori 034-8628, Japan

^d Systems Neuroscience Section, Primate Research Institute, Kyoto University, Inuyama, Aichi 484-8506, Japan

^e PRESTO, Japan Science and Technology Agency, Kawaguchi, Saitama 332-0012, Japan

*Correspondence: Takuya Itou

Nihon University Veterinary Research Center, Fujisawa, Kanagawa 252-0880, Japan

Tel: +81-466-83-3375

Fax: +81-466-83-3380

E-mail: itou.takuya@nihon-u.ac.jp

Highlights

- Recombinant rabies virus was recovered from segmented virus genome RNA cDNA.
- The segmented recombinant virus was bullet-like in shape and about

Download English Version:

<https://daneshyari.com/en/article/8751746>

Download Persian Version:

<https://daneshyari.com/article/8751746>

[Daneshyari.com](https://daneshyari.com)