

Accepted Manuscript

Placenta percreta is associated with more frequent severe maternal morbidity than placenta accreta

Louis Marcellin, MD, PhD., Pierre Delorme, MD., Marie Pierre Bonnet, MD, PhD., Gilles Grange, MD., Gilles Kayem, MD, PhD, Vassilis Tsatsaris, MD, PhD., François Goffinet, MD, PhD.

PII: S0002-9378(18)30380-6

DOI: [10.1016/j.ajog.2018.04.049](https://doi.org/10.1016/j.ajog.2018.04.049)

Reference: YMOB 12173

To appear in: *American Journal of Obstetrics and Gynecology*

Received Date: 9 January 2018

Revised Date: 17 April 2018

Accepted Date: 26 April 2018

Please cite this article as: Marcellin L, Delorme P, Bonnet MP, Grange G, Kayem G, Tsatsaris V, Goffinet F, Placenta percreta is associated with more frequent severe maternal morbidity than placenta accreta, *American Journal of Obstetrics and Gynecology* (2018), doi: 10.1016/j.ajog.2018.04.049.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Placenta percreta is associated with more frequent severe maternal morbidity than placenta accreta

Louis MARCELLIN, MD, PhD. ^{1,2,3}

Pierre DELORME, MD. ^{1,3}

Marie Pierre BONNET, MD, PhD. ^{3,4}

Gilles GRANGE, MD. ^{1,3}

Gilles KAYEM, MD, PhD ⁵

Vassilis TSATSARIS, MD, PhD. ^{1,3}

François GOFFINET, MD, PhD. ^{1,3}

¹ Port-Royal Maternity Unit, Department of Obstetrics Paris, Hôpitaux Universitaires Paris Centre, Hôpital Cochin, Assistance Publique-Hôpitaux de Paris, Paris, France

² Hôpitaux Universitaires Paris Centre, Hôpital Cochin, Department of Gynecology Obstetrics II and Reproductive Medicine, Assistance Publique-Hôpitaux de Paris, 75679 Paris, France

³ Sorbonne Paris Cité, Université Paris Descartes, Faculté de Médecine

⁴ Département d'Anesthésie Réanimation Hôpitaux Universitaires Paris Centre, Hôpital Cochin, Assistance Publique-Hôpitaux de Paris, Paris, France

⁵ Pierre-et-Marie-Curie University, 75252 Paris cedex 05, France; Obstetrical, Perinatal and Pediatric Epidemiology Research Team, Center for Epidemiology and Statistics Sorbonne Paris Cité, Inserm U1153, 53, avenue de l'Observatoire, 75014 Paris, France; Obstetrics and Gynecology Department, hôpital Armand-Trousseau, 26, avenue du Docteur-Arnold-Netter, 75012 Paris, France.

Conflicts of Interest

The authors report no conflict of interest

Corresponding author

Dr Louis Marcellin

Service de Chirurgie Gynécologie Obstétrique II et Médecine de la Reproduction

Bâtiment Port Royal, CHU Cochin

53, avenue de l'Observatoire

75679 Paris 14, France

Tel: +33-1-58-41-36-69

Fax: +33-1-58-41-36-68

E-mail: louis.marcellin@aphp.fr

Word count

Abstract: 390

Main text: 3483

Download English Version:

<https://daneshyari.com/en/article/8752385>

Download Persian Version:

<https://daneshyari.com/article/8752385>

[Daneshyari.com](https://daneshyari.com)