Accepted Manuscript

Vaginal Progesterone is as Effective as Cervical Cerclage to Prevent Preterm Birth in Women with a Singleton Gestation, Previous Spontaneous Preterm Birth and a Short Cervix: Updated Indirect Comparison Meta-Analysis

Agustin Conde-Agudelo, MD, MPH, PhD, Roberto Romero, MD, DMedSci, Eduardo Da Fonseca, MD, John M. O'Brien, MD, Elcin Cetingoz, MD, George W. Creasy, MD, Sonia S. Hassan, MD, Offer Erez, MD, Percy Pacora, MD, Kypros H. Nicolaides, MD

PII: S0002-9378(18)30243-6

DOI: 10.1016/j.ajog.2018.03.028

Reference: YMOB 12118

To appear in: American Journal of Obstetrics and Gynecology

Received Date: 19 February 2018

Revised Date: 23 March 2018 Accepted Date: 24 March 2018

Please cite this article as: Conde-Agudelo A, Romero R, Da Fonseca E, O'Brien JM, Cetingoz E, Creasy GW, Hassan SS, Erez O, Pacora P, Nicolaides KH, Vaginal Progesterone is as Effective as Cervical Cerclage to Prevent Preterm Birth in Women with a Singleton Gestation, Previous Spontaneous Preterm Birth and a Short Cervix: Updated Indirect Comparison Meta-Analysis, *American Journal of Obstetrics and Gynecology* (2018), doi: 10.1016/j.ajog.2018.03.028.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

VAGINAL PROGESTERONE IS AS EFFECTIVE AS CERVICAL CERCLAGE TO PREVENT PRETERM BIRTH IN WOMEN WITH A SINGLETON GESTATION, PREVIOUS SPONTANEOUS PRETERM BIRTH AND A SHORT CERVIX: UPDATED INDIRECT COMPARISON META-ANALYSIS

Agustin Conde-Agudelo, MD, MPH, PhD

Roberto Romero, MD, DMedSci

Eduardo Da Fonseca, MD

John M. O'Brien, MD

Elcin Cetingoz, MD

George W. Creasy, MD

Sonia S. Hassan, MD

Offer Erez, MD

Percy Pacora, MD

Kypros H. Nicolaides, MD

Authors' affiliations

From the Perinatology Research Branch, Division of Obstetrics and Maternal-Fetal Medicine, Division of Intramural Research, Eunice Kennedy Shriver National Institute of Child Health and Human Development, National Institutes of Health, Department of Health and Human Services, Bethesda, MD, and Detroit, MI (Drs Conde-Agudelo, Romero, Erez, Pacora, and Hassan); Department of Obstetrics and Gynecology, Wayne State University School of Medicine, Detroit, MI (Drs Conde-Agudelo, Erez, Pacora, and Hassan); Department of Obstetrics and Gynecology, University of Michigan, Ann Arbor, MI (Dr Romero); Department of Epidemiology and Biostatistics, Michigan State University, East Lansing, MI (Dr Romero); Center for Molecular Medicine and Genetics, Wayne State University, Detroit, MI (Dr Romero); Departamento de Obstetrícia e Ginecologia, Hospital do Servidor Publico Estadual "Francisco Morato de Oliveira" and School of Medicine, University of São Paulo, São Paulo, Brazil (Dr Da Fonseca); Department of Obstetrics and Gynecology, University of Kentucky, Lexington, KY (Dr O'Brien); Department of Obstetrics and Gynecology, Turkish Red Crescent Altintepe Medical Center, Maltepe, Istanbul, Turkey (Dr Cetingoz); Center for

Download English Version:

https://daneshyari.com/en/article/8752395

Download Persian Version:

https://daneshyari.com/article/8752395

<u>Daneshyari.com</u>