

# Accepted Manuscript

Prophylactic negative pressure wound therapy after cesarean is associated with reduced risk of surgical site infection: a systematic review and meta-analysis

Ms. Lulu Yu, BA, Mr. Ryan J. Kronen, BA, Ms. Laura E. Simon, MLIS, Ms. Carolyn R.T. Stoll, MPH, MSW, Dr. Graham A. Colditz, MD, DrPH, Dr. Methodius G. Tuuli, MD, MPH.

PII: S0002-9378(17)31132-8

DOI: [10.1016/j.ajog.2017.09.017](https://doi.org/10.1016/j.ajog.2017.09.017)

Reference: YMOB 11849

To appear in: *American Journal of Obstetrics and Gynecology*

Received Date: 22 July 2017

Revised Date: 11 September 2017

Accepted Date: 18 September 2017

Please cite this article as: Yu L, Kronen RJ, Simon LE, Stoll CRT, Colditz GA, Tuuli MG, Prophylactic negative pressure wound therapy after cesarean is associated with reduced risk of surgical site infection: a systematic review and meta-analysis, *American Journal of Obstetrics and Gynecology* (2017), doi: [10.1016/j.ajog.2017.09.017](https://doi.org/10.1016/j.ajog.2017.09.017).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Prophylactic negative pressure wound therapy after cesarean is associated with reduced risk of surgical site infection: a systematic review and meta-analysis**

**AUTHORS:** Ms. Lulu YU, BA,<sup>1\*</sup> Mr. Ryan J. KRONEN, BA,<sup>1\*</sup> Ms. Laura E. SIMON MLIS,<sup>2</sup> Ms. Carolyn R.T. STOLL, MPH, MSW,<sup>3</sup> Dr. Graham A. COLDITZ MD, DrPH,<sup>1,4</sup> Dr. Methodius G. TUULI, MD, MPH.<sup>5</sup>

1. Washington University School of Medicine

2. Becker Medical Library, Washington University School of Medicine

3. Washington University School of Medicine, Department of Surgery, Division of Public Health Sciences

4. Washington University in St. Louis, Institute for Public Health

5. Washington University School of Medicine, Department of Obstetrics and Gynecology, Division of Maternal Fetal Medicine

\*Lulu Yu and Ryan Kronen contributed equally to this work.

Dr Colditz is supported in part by the Foundation for Barnes Jewish Hospital. Dr. Tuuli is supported by NIH U01 (U01HD077384-03) and R01 (1R01HD086007-01) grants. The contents of this publication are solely the responsibility of the authors and do not necessarily represent the official view of the NIH.

**Financial Disclosure**

Dr Tuuli received supplemental research grant funding from Acelity, manufacturers of Prevena<sup>TM</sup>.

The other authors did not report any potential conflicts of interest.

**Corresponding Author:**

Lulu Yu, BA

Department of Obstetrics and Gynecology

660 South Euclid Avenue, Maternity Building, 5<sup>th</sup> Floor

St Louis, MO, 63110; P (775)-721-2531 Email: [lulu.yu@wustl.edu](mailto:lulu.yu@wustl.edu)

**Word Count (abstract): 299**

Download English Version:

<https://daneshyari.com/en/article/8752605>

Download Persian Version:

<https://daneshyari.com/article/8752605>

[Daneshyari.com](https://daneshyari.com)