

Accepted Manuscript

Decomposition of the population attributable fraction for two exposures

Masataka Taguri, Aya Kuchiba

PII: S1047-2797(17)30090-X

DOI: [10.1016/j.annepidem.2018.02.012](https://doi.org/10.1016/j.annepidem.2018.02.012)

Reference: AEP 8364

To appear in: *Annals of Epidemiology*


Received Date: 26 January 2017

Revised Date: 6 January 2018

Accepted Date: 19 February 2018

Please cite this article as: Taguri M, Kuchiba A, Decomposition of the population attributable fraction for two exposures, *Annals of Epidemiology* (2018), doi: 10.1016/j.annepidem.2018.02.012.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Decomposition of the population attributable fraction for two exposuresMasataka Taguri^{1,2*} and Aya Kuchiba^{3,4}¹ Department of Biostatistics, Yokohama City University School of Medicine, Yokohama, Japan² Risk Analysis Research Center, The Institute of Statistical Mathematics, Tokyo, Japan³ Biostatistics Division, Center for Research Administration and Support, National Cancer Center, Tokyo, Japan⁴ Division of Biostatistical Research, Center for Public Health Sciences, National Cancer Center, Tokyo, Japan***Corresponding author:**

Masataka Taguri

Department of Biostatistics, Yokohama City University School of Medicine,

3-9 Fukuura, Kanazawa-ku, Yokohama, Japan

Tel: +81-45-253-9903 Fax: +81-45-253-9902; E-mail: taguri@yokohama-cu.ac.jp

Acknowledgements: The following contributors provided additional information: Hadrien Charvat and Shoichiro Tsugane for the Japan Public Health Center-based prospective Study, Epidemiology and Prevention Group, National Cancer Center, Tokyo, Japan. This work was supported by Grant-in-Aid for Scientific Research (No. 15K15951, 15K15956) from the Ministry of Education, Culture, Sports, Science, and Technology of Japan. The SAS code for the calculation is available upon request from the authors.

Download English Version:

<https://daneshyari.com/en/article/8753257>

Download Persian Version:

<https://daneshyari.com/article/8753257>

[Daneshyari.com](https://daneshyari.com)