


Accepted Manuscript

Conception rate in Holstein dairy cows having both normal sized follicles and cystic follicles at estrus

K. Kaneko



PII: S2305-0500(16)30083-5

DOI: [10.1016/j.apjr.2016.07.012](https://doi.org/10.1016/j.apjr.2016.07.012)

Reference: APJR 107

To appear in: *Asian Pacific Journal of Reproduction*

Received Date: 28 April 2016

Revised Date: 14 July 2016

Accepted Date: 14 July 2016

Please cite this article as: Kaneko K, Conception rate in Holstein dairy cows having both normal sized follicles and cystic follicles at estrus, *Asian Pacific Journal of Reproduction* (2016), doi: 10.1016/j.apjr.2016.07.012.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: Conception rate in Holstein dairy cows having both normal sized follicles and cystic follicles at estrus

Author: K. Kaneko^{1*}

Affiliation: Laboratory of Veterinary Obstetrics and Gynecology, Azabu University, 1-17-71, Fuchinobe, Chuo, Sagamihara, *Kanagawa 252-5201, Japan*

***Corresponding author:** Kazuyuki Kaneko, Azabu University 1-17-71, Fuchinobe, Chuo, Sagamihara, Kanagawa 252-5201, Japan.

E-mail: kaneko@azabu-u.ac.jp

This paper has 2 figures and 2 tables

Article history:

Received 2016

Received in revised form 2016

Accepted 2016

Available online 2016

Key words:

Cattle

Cystic follicles

Normal sized follicles

Progesterone

Reproductive performance

Download English Version:

<https://daneshyari.com/en/article/8753980>

Download Persian Version:

<https://daneshyari.com/article/8753980>

[Daneshyari.com](https://daneshyari.com)