


Accepted Manuscript



Hepatic iron load at MRI is normal in most patients receiving peritoneal dialysis

Belkacem Issad, MD, Nasredine Ghali, MD, Séverine Beaudreuil, MD, Mireille Griuncelli, MLT, Yves Cohen, MD, Guy Rostoker, MD, PhD

PII: S2468-0249(17)30307-8

DOI: [10.1016/j.ekir.2017.07.005](https://doi.org/10.1016/j.ekir.2017.07.005)

Reference: EKIR 197

To appear in: *Kidney International Reports*

Received Date: 16 January 2017

Revised Date: 26 June 2017

Accepted Date: 17 July 2017

Please cite this article as: Issad B, Ghali N, Beaudreuil S, Griuncelli M, Cohen Y, Rostoker G, Hepatic iron load at MRI is normal in most patients receiving peritoneal dialysis, *Kidney International Reports* (2017), doi: 10.1016/j.ekir.2017.07.005.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Hepatic iron load at MRI is normal in most patients receiving peritoneal dialysis

Research Letter

Belkacem Issad (MD)¹, Nasredine Ghali(MD)², Séverine Beaudreuil (MD)³, Mireille Griuncelli(MLT)⁵, Yves Cohen(MD)⁴ and Guy Rostoker (MD, PhD)^{5*}

¹Division of Nephrology and Dialysis, Groupe Hospitalier Pitié-Salpêtrière, 75013 Paris, France

²Division of Nephrology and Dialysis, Centre Hospitalier Marc Jacquet, 77000 Melun, France

³Division of Nephrology, Dialysis and Transplantation, Centre Hospitalier Universitaire Bicêtre, 94270 Kremlin-Bicêtre, France

⁴Division of Radiology, RAMSAY-Générale de Santé, Hôpital Privé Claude Galien, 91480 Quincy-sous-Sénart, France

⁵Division of Nephrology and Dialysis, RAMSAY-Générale de Santé, Hôpital Privé Claude Galien, 91480 Quincy-sous-Sénart, France

***Corresponding author:** Guy Rostoker, Division of Nephrology and Dialysis, RAMSAY-Générale de Santé, Hôpital Privé Claude Galien, Quincy-sous-Sénart, France.

Tel: 01 69 39 92 00; Fax: 01 69 39 91 84; Email: rostotom@orange.fr

Running title: Liver iron content in peritoneal dialysis patients

Key words: peritoneal dialysis; hepatic MRI; liver iron concentration

Clinical trial registration: ISRCTN n°: 80100088

Word count: Text: 1195

Figures: 1

Tables: 3

Download English Version:

<https://daneshyari.com/en/article/8773912>

Download Persian Version:

<https://daneshyari.com/article/8773912>

[Daneshyari.com](https://daneshyari.com)