Accepted Manuscript

Title: Surgical Management of Adult Acquired Buried Penis: Impact on Urinary and Sexual Quality of Life Outcomes.

Author: Katherine M. Theisen, Thomas W. Fuller, Paul Rusilko

PII: S0090-4295(18)30288-7

DOI: https://doi.org/10.1016/j.urology.2018.03.031

Reference: URL 20972

To appear in: Urology

Received date: 13-2-2018 Accepted date: 22-3-2018



Please cite this article as: Katherine M. Theisen, Thomas W. Fuller, Paul Rusilko, Surgical Management of Adult Acquired Buried Penis: Impact on Urinary and Sexual Quality of Life Outcomes., *Urology* (2018), https://doi.org/10.1016/j.urology.2018.03.031.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Surgical management of adult acquired buried penis: impact on urinary and sexual quality of life outcomes.

Authors

Katherine M Theisen MD, theisenkm@upmc.edu
Thomas W Fuller MD, fullertw@upmc.edu
Paul Rusilko MD, rusilkop@upmc.edu

Affiliation

University of Pittsburgh Medical Center

Corresponding Author:

Katherine Theisen
theisenkm@upmc.edu
952-221-1749
3471 Fifth Ave
Suite 700
Pittsburgh, PA 15218

Abstract word count: 233 Manuscript word count: 2,438

Keywords: quality of life; patient reported outcome measures; adipose tissue; bariatric surgery

Abstract

Objectives: To assess postoperative patient-reported quality of life outcomes following surgical management of adult acquired buried penis (AABP). We hypothesize that surgical treatment of AABP results in improvements in urinary and sexual quality of life.

Methods: Patients that underwent surgical treatment of AABP were retrospectively identified. The Expanded Prostate Cancer Index (EPIC) questionnaire was completed at ≥ 3 months postoperatively, and completed retrospectively to define preoperative symptoms. EPIC is validated for local treatment of prostate cancer. Urinary and sexual

Download English Version:

https://daneshyari.com/en/article/8775551

Download Persian Version:

https://daneshyari.com/article/8775551

Daneshyari.com