## Accepted Manuscript

Title: Effect of Intercostal Nerve Block and Nephrostomy Tract Infiltration with Ropivacaine on Postoperative Pain Control after Tubeless Percutaneous Nephrolithotomy: a Prospective, Randomized, and Case-Controlled Trial

Author: Sae Woong Choi, Shin Jay Cho, Hyong Woo Moon, Kyu Won Lee, Sang Hoon Lee, Sang Hyun Hong, Yong Sun Choi, Woong Jin Bae, U-Syn Ha, Sung-Hoo Hong, Ji Youl Lee, Sae Woong Kim, Hyuk Jin Cho

PII: S0090-4295(17)31312-2

DOI: https://doi.org/10.1016/j.urology.2017.12.004

Reference: URL 20808

To appear in: Urology

Received date: 13-9-2017 Accepted date: 1-12-2017



Please cite this article as: Sae Woong Choi, Shin Jay Cho, Hyong Woo Moon, Kyu Won Lee, Sang Hoon Lee, Sang Hyun Hong, Yong Sun Choi, Woong Jin Bae, U-Syn Ha, Sung-Hoo Hong, Ji Youl Lee, Sae Woong Kim, Hyuk Jin Cho, Effect of Intercostal Nerve Block and Nephrostomy Tract Infiltration with Ropivacaine on Postoperative Pain Control after Tubeless Percutaneous Nephrolithotomy: a Prospective, Randomized, and Case-Controlled Trial, *Urology* (2017), https://doi.org/10.1016/j.urology.2017.12.004.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Endourology and Stones** 

Effect of Intercostal Nerve Block and Nephrostomy Tract Infiltration with

Ropivacaine on Postoperative Pain Control after Tubeless Percutaneous

Nephrolithotomy: A Prospective, Randomized, and Case-controlled Trial

Sae Woong Choi<sup>1</sup>, Shin Jay Cho<sup>1</sup>, Hyong Woo Moon<sup>1</sup>, Kyu Won Lee<sup>1</sup>, Sang

Hoon Lee<sup>2</sup>, Sang Hyun Hong<sup>3</sup>, Yong Sun Choi<sup>1</sup>, Woong Jin Bae<sup>1</sup>, U-Syn Ha<sup>1</sup>,

Sung-Hoo Hong<sup>1</sup>, Ji Youl Lee<sup>1</sup>, Sae Woong Kim<sup>1</sup>, and Hyuk Jin Cho<sup>1</sup>

From <sup>1</sup>Department of Urology, College of Medicine, The Catholic University of Korea,

Seoul, Republic of Korea; <sup>2</sup>Department of Anesthesiology, St. Mary's Will Hospital,

Seoul, Republic of Korea; <sup>3</sup>Department of Anesthesiology, College of Medicine, The

Catholic University of Korea, Seoul, Republic of Korea

Address correspondence to: Hyuk Jin Cho

Department of Urology, Seoul St. Mary's Hospital, College of Medicine, The Catholic

University of Korea, 222, Banpo-daero, Seocho-gu, Seoul, 06591, Republic of Korea

Tel: +82-2-2258-6230, Fax: +82-2-599-7839, E-mail: a0969@catholic.ac.kr

the word counts for the Abstract: 249

the word counts for the manuscript text: 2876

**Keywords** percutaneous nephrolithotomy; postoperative pain; local anesthetics;

pain management

1

## Download English Version:

## https://daneshyari.com/en/article/8775755

Download Persian Version:

https://daneshyari.com/article/8775755

Daneshyari.com