

Accepted Manuscript

Title: Serous carcinoma of the testicle and paratesticular tissue: Case Report and Literature Review

Author: Garrison F. Pease, Pauline M. Chou

PII: S0090-4295(17)30594-0

DOI: <http://dx.doi.org/doi: 10.1016/j.urology.2017.05.039>

Reference: URL 20484

To appear in: *Urology*

Received date: 21-3-2017

Accepted date: 25-5-2017

Please cite this article as: Garrison F. Pease, Pauline M. Chou, Serous carcinoma of the testicle and paratesticular tissue: Case Report and Literature Review, *Urology* (2017), <http://dx.doi.org/doi: 10.1016/j.urology.2017.05.039>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Serous carcinoma of the testicle and paratesticular tissue: Case Report and Literature Review

Garrison F. Pease, MD¹

Pauline M. Chou, MD²

1 Department of Pathology and Laboratory Medicine, NorthShore University HealthSystem, 2650 Ridge Avenue, Evanston, IL 60201

2 Department of Pathology and Laboratory Medicine, Ann and Robert H. Lurie Children's Hospital of Chicago, 225 E. Chicago Ave., Box 17. Chicago, IL 60611

Corresponding author contact information:

Email: gpease@northshore.org or garrisonpease@gmail.com

Financial disclosures: The authors declare no relevant financial interests.

Abstract word count: 98

Manuscript word count (not including figure descriptions or references, not including table content): 1199

Keywords: serous; testicle; pediatric; paratesticular; adult; adenocarcinoma

ABSTRACT:

Ovarian-type epithelial lesions of the testicle and paratesticular tissue are uncommon, especially invasive serous adenocarcinoma with just 18 cases reported in the literature. While the majority of these tumors occur in adults with an age range from 16 to 87 years, just one patient was less than 10 years old. Herein, we report only the second case of invasive serous adenocarcinoma occurring in first decade of life, that of a 7 year-old boy. Additionally, clinical presentation, imaging, histopathology, immunohistochemistry, and clinical follow-up of invasive serous adenocarcinoma of the testicle are discussed along with review of the literature.

Download English Version:

<https://daneshyari.com/en/article/8776189>

Download Persian Version:

<https://daneshyari.com/article/8776189>

[Daneshyari.com](https://daneshyari.com)