


## Accepted Manuscript

Factors associated with low-lying intrauterine devices: a cross-sectional ultrasound study in a cohort of African-American women

Malana Moshesh, Tina Saldana, Elizabeth Deans, Tracy Cooper, Donna Baird



PII: S0010-7824(18)30095-7  
DOI: doi:[10.1016/j.contraception.2018.02.018](https://doi.org/10.1016/j.contraception.2018.02.018)  
Reference: CON 9073

To appear in:

Received date: 2 October 2017  
Revised date: 26 February 2018  
Accepted date: 28 February 2018

Please cite this article as: Malana Moshesh, Tina Saldana, Elizabeth Deans, Tracy Cooper, Donna Baird , Factors associated with low-lying intrauterine devices: a cross-sectional ultrasound study in a cohort of African-American women. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Con(2018), doi:[10.1016/j.contraception.2018.02.018](https://doi.org/10.1016/j.contraception.2018.02.018)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Factors associated with low-lying intrauterine devices: a cross-sectional ultrasound study in a cohort of African-American women.**

Malana Moshesh MD MPH<sup>a</sup>, Tina Saldana, PhD<sup>b</sup>, Elizabeth Deans, MD MPH<sup>a</sup>, Tracy Cooper<sup>c</sup>, RDMS, Donna Baird, PhD<sup>d</sup>

<sup>a</sup>Duke University Department of Obstetrics & Gynecology, Duke University Medical Center, 200 Trent Drive, Durham, NC 27710

<sup>b</sup>Social & Scientific Systems, Inc., 4505 Emperor Blvd. Suite 400, Durham, NC 27703

<sup>c</sup>Henry Ford Health Systems, 2799 West Grand Blvd., Detroit, MI 48202

<sup>d</sup>National Institute of Environmental Health Sciences, 111 TW Alexander Dr, Research Triangle Park, NC 27709

Corresponding author: Malana Moshesh: [mmoshesh73@gmail.com](mailto:mmoshesh73@gmail.com)

Word count abstract: 208

Word count manuscript text: 2224

Download English Version:

<https://daneshyari.com/en/article/8777391>

Download Persian Version:

<https://daneshyari.com/article/8777391>

[Daneshyari.com](https://daneshyari.com)