

## Accepted Manuscript

Title: Comparison of intramyometrial vasopressin plus rectal misoprostol with intramyometrial vasopressin alone to decrease blood loss during laparoscopic myomectomy: randomized clinical trial

Authors: Sonal Srivastava, Reeta Mahey, Garima Kachhawa, Neerja Bhatla, Ashish Datt Upadhyay, Alka Kriplani



PII: S0301-2115(18)30333-6  
DOI: <https://doi.org/10.1016/j.ejogrb.2018.07.006>  
Reference: EURO 10442

To appear in: *EURO*

Received date: 17-4-2018  
Revised date: 28-5-2018  
Accepted date: 3-7-2018

Please cite this article as: Srivastava S, Mahey R, Kachhawa G, Bhatla N, Upadhyay AD, Kriplani A, Comparison of intramyometrial vasopressin plus rectal misoprostol with intramyometrial vasopressin alone to decrease blood loss during laparoscopic myomectomy: randomized clinical trial, *European Journal of Obstetrics and Gynecology* (2018), <https://doi.org/10.1016/j.ejogrb.2018.07.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Comparison of intramyometrial vasopressin plus rectal misoprostol with intramyometrial vasopressin alone to decrease blood loss during laparoscopic myomectomy: randomized clinical trial**

**Sonal Srivastava, Reeta Mahey\*, Garima Kachhawa, Neerja Bhatla, Ashish Datt Upadhyay, Alka Kriplani**

*Department of Obstetrics and Gynaecology, All India Institute of Medical Sciences, New Delhi, India*

\*Corresponding author. Address: Department of Obstetrics and Gynaecology, All India Institute of Medical Sciences, New Delhi, India. Tel.: +91 9818447845.

*E-mail address:* reetamahey@rediffmail.com (R. Mahey).

**ABSTRACT**

*Objective:* To compare the efficacy and safety of intramyometrial vasopressin plus rectal misoprostol with intramyometrial vasopressin alone to reduce blood loss during laparoscopic myomectomy.

Download English Version:

<https://daneshyari.com/en/article/8777886>

Download Persian Version:

<https://daneshyari.com/article/8777886>

[Daneshyari.com](https://daneshyari.com)