

Accepted Manuscript

Title: Extraperitoneal Para-Aortic Lymphadenectomy by Robot-Assisted Laparoscopy

Author: Ana Gomes da Costa, Yves Borghesi, Delphine Hudry, Julie Faes, Lucie Bresson, Fabrice Narducci, Eric Leblanc

PII: S1553-4650(18)30035-9
DOI: <https://doi.org/10.1016/j.jmig.2017.10.040>
Reference: JMIG 3388

To appear in: *The Journal of Minimally Invasive Gynecology*

Received date: 9-9-2017
Revised date: 22-10-2017
Accepted date: 24-10-2017

Please cite this article as: Ana Gomes da Costa, Yves Borghesi, Delphine Hudry, Julie Faes, Lucie Bresson, Fabrice Narducci, Eric Leblanc, Extraperitoneal Para-Aortic Lymphadenectomy by Robot-Assisted Laparoscopy, *The Journal of Minimally Invasive Gynecology* (2018), <https://doi.org/10.1016/j.jmig.2017.10.040>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1 **Extraperitoneal Para-Aortic Lymphadenectomy by Robot-Assisted**
2 **Laparoscopy**

3
4 Ana Gomes da Costa, MD, Yves Borghesi, MD, Delphine Hudry, MD, Julie Faes, MD,
5 Lucie Bresson, MD, Fabrice Narducci, MD, Eric Leblanc, MD

6
7 *From the Department of Gynecologic Oncology, Oscar Lambret Cancer Center, Lille,*
8 *France (all authors).*

9
10 Corresponding author: Ana Gomes da Costa MD

11 Gynecologic Oncology Department

12 Oscar Lambret Cancer Center, Lille, France

13 3 rue Frédéric Combemale, BP307

14 59020 Lille cedex France

15 E-mail: ana.ofgc@gmail.com

16

17 The authors declare that they have no conflicts of interest.

18

19 Word Count: 3,440

20 **Precis:** Extraperitoneal para-aortic lymphadenectomy by robotic-assisted

21 laparoscopy is feasible with less arm conflict, better visualization, and no need for
22 redocking.

23

Comment [A1]: AUTHOR: Two different versions of Precis section were provided and the one in manuscript has been used. Please check and confirm that it is correct

Download English Version:

<https://daneshyari.com/en/article/8781243>

Download Persian Version:

<https://daneshyari.com/article/8781243>

[Daneshyari.com](https://daneshyari.com)