

# Accepted Manuscript

Title: Magnetic Resonance Imaging Grading System for Preoperative Diagnosis of Leiomyomas and Uterine Smooth Muscle Tumors

Author: Yukio Suzuki, Shinichiro Wada, Ayako Nakajima, Yoshiyuki Fukushi, Masaru Hayashi, Takuma Matsuda, Ryoko Asano, Yasuo Sakurai, Hiroko Noguchi, Toshiya Shinohara, Chikara Sato, Takafumi Fujino

PII: S1553-4650(17)31251-7  
DOI: <https://doi.org/doi:10.1016/j.jmig.2017.08.660>  
Reference: JMIG 3313

To appear in: *The Journal of Minimally Invasive Gynecology*

Received date: 5-7-2017  
Revised date: 16-8-2017  
Accepted date: 21-8-2017

Please cite this article as: Yukio Suzuki, Shinichiro Wada, Ayako Nakajima, Yoshiyuki Fukushi, Masaru Hayashi, Takuma Matsuda, Ryoko Asano, Yasuo Sakurai, Hiroko Noguchi, Toshiya Shinohara, Chikara Sato, Takafumi Fujino, Magnetic Resonance Imaging Grading System for Preoperative Diagnosis of Leiomyomas and Uterine Smooth Muscle Tumors, *The Journal of Minimally Invasive Gynecology* (2017), <https://doi.org/doi:10.1016/j.jmig.2017.08.660>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1 **Original Article**2 **Magnetic Resonance Imaging Grading System for Preoperative Diagnosis of**  
3 **Leiomyomas and Uterine Smooth Muscle Tumors**4 Yukio Suzuki, MD, Shinichiro Wada, MD, PhD, Ayako Nakajima, MD, PhD,  
5 Yoshiyuki Fukushi, MD, PhD, Masaru Hayashi, MD, PhD, Takuma Matsuda, MD, PhD,  
6 Ryoko Asano, MD, PhD, Yasuo Sakurai, MD, PhD, Hiroko Noguchi, MD, PhD, Toshiya  
7 Shinohara, MD, PhD, Chikara Sato, MD, PhD, Takafumi Fujino, MD, PhD8 *From the Departments of Obstetrics and Gynecology (Drs. Suzuki, Wada, Nakajima,*  
9 *Fukushi, Hayashi, Matsuda, Sato and Fujino), Department of Radiology (Dr. Sakurai), and*  
10 *Department of Pathology (Drs. Noguchi and Shinohara), Teine Keijinkai Hospital, Sapporo,*  
11 *Japan, and the Department of Obstetrics and Gynecology, Yokohama City University,*  
12 *Yokohama, Japan (Drs. Suzuki and Asano).*13 Corresponding author: Yukio Suzuki, MD, 3-9 Fukuura, Kanazawa-ku, Yokohama  
14 236-0004, Kanagawa, Japan. E-mail: yetii18@yahoo.co.jp

15 The authors state that there are no conflicts of interest.

16 **Precis:** Magnetic resonance image grading discriminates between benign fibroids and  
17 smooth muscle tumors of uncertain malignant potential s or variant leiomyoma types and  
18 may be effective for assessing uterine fibroids prior to laparoscopic surgery.

19

Download English Version:

<https://daneshyari.com/en/article/8781345>

Download Persian Version:

<https://daneshyari.com/article/8781345>

[Daneshyari.com](https://daneshyari.com)