

Accepted Manuscript

Title: Preoperative Factors That Predict the Need to Morcellate in Total Laparoscopic Hysterectomy

Author: Morgan Wolfe, Scott Biest, Nhial Tutlam, Candice Woolfolk, Brooke Winner

PII: S1553-4650(17)31155-X

DOI: <https://doi.org/doi:10.1016/j.jmig.2017.09.015>

Reference: JMIG 3282

To appear in: *The Journal of Minimally Invasive Gynecology*

Received date: 17-5-2017

Revised date: 22-8-2017

Accepted date: 17-9-2017



Please cite this article as: Morgan Wolfe, Scott Biest, Nhial Tutlam, Candice Woolfolk, Brooke Winner, Preoperative Factors That Predict the Need to Morcellate in Total Laparoscopic Hysterectomy, *The Journal of Minimally Invasive Gynecology* (2017), <https://doi.org/doi:10.1016/j.jmig.2017.09.015>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Preoperative Factors that Predict the Need to Morcellate in Total Laparoscopic Hysterectomy

Mr. Morgan WOLFE, MD¹

Mr. Scott BIEST, MD¹

Mr. Nhial TUTLAM, MPH¹

Ms. Candice Woolfolk, PhD, MPH¹

Mrs. Brooke WINNER, MD¹

¹Department of Obstetrics & Gynecology, Washington University in St. Louis

The authors report no conflict of interest.

Funding: None

Corresponding Author:

Morgan Wolfe, MD

Department of Obstetrics and Gynecology

Washington University School of Medicine

St. Louis, MO 63110

Phone: 314 747 5470

Fax: 314 7471490

Email: morgan.b.wolfe@gmail.com

Word Count : Abstract – 262, Manuscript – 1630

Download English Version:

<https://daneshyari.com/en/article/8781438>

Download Persian Version:

<https://daneshyari.com/article/8781438>

[Daneshyari.com](https://daneshyari.com)