Accepted Manuscript

Factors associated with contraceptive use differ between younger and older African-American female adolescents

Kristie Elizabeth North Clarke, M.D., M.S.C.R., Joan Marie Kraft, Ph.D., Jeffrey B. Wiener, Ph.D., Kendra Hatfield-Timajchy, Ph.D., M.P.H., Melissa Kottke, M.D., M.P.H., M.B.A., Jessica M. Sales, Ph.D., Peggy Goedken, M.P.H., Athena P. Kourtis, M.D., Ph.D., M.P.H.

Journal of
Pediatric & Adolescent
Gynecology

Miller to COM
Juny S. Suffyry, M. M. M.

A Suffyr M.

A Suff

PII: \$1083-3188(16)00165-0

DOI: 10.1016/j.jpag.2016.01.129

Reference: PEDADO 1962

To appear in: Journal of Pediatric and Adolescent Gynecology

Received Date: 28 December 2015

Accepted Date: 31 January 2016

Please cite this article as: North Clarke KE, Kraft JM, Wiener JB, Hatfield-Timajchy K, Kottke M, Sales JM, Goedken P, Kourtis AP, Factors associated with contraceptive use differ between younger and older African-American female adolescents, *Journal of Pediatric and Adolescent Gynecology* (2016), doi: 10.1016/j.jpag.2016.01.129.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Factors associated with contraceptive use differ between younger and older African-American female adolescents

Kristie Elizabeth North Clarke, M.D., M.S.C.R. ^{a,1}, Joan Marie Kraft, Ph.D. ^a, Jeffrey B Wiener, Ph.D. ^a, Kendra Hatfield-Timajchy, Ph.D., M.P.H. ^a, Melissa Kottke, M.D., M.P.H., M.B.A. ^b, Jessica M. Sales, Ph.D. ^c, Peggy Goedken, M.P.H. ^b, and Athena P. Kourtis, M.D., Ph.D., M.P.H. ^a

^a Division of Reproductive Health, US Centers for Disease Control and Prevention, 4770 Buford

Highway, NE, MS F74, Atlanta, Georgia 30341, vhz9@cdc.gov (Clarke), jik4@cdc.gov (Kraft),

nzw8@cdc.gov (Wiener), kht0@cdc.gov (Hatfield-Timajchy), apk3@cdc.gov (Kourtis)

^b Division of Family Planning, Department of Gynecology and Obstetrics, Emory University, 49 Jesse Hill

Jr. Drive, SE, Atlanta, Georgia 30303, mkottke@emory.edu (Kottke), peggy.goedken@emory.edu

^c Department of Behavioral Sciences and Health Education, Rollins School of Public Health, Emory University, 1518 Clifton Road, Room 570, Atlanta, Georgia 30322, <u>imcderm@emory.edu</u>

(Goedken)

¹ Present address: Global Immunization Division, US Centers for Disease Control and Prevention, 1600 Clifton Road, MS A04, Atlanta, Georgia 30328

Corresponding author: Kristie Elizabeth North Clarke, M.D., M.S.C.R., Global Immunization Division, Centers for Disease Control and Prevention, 1600 Clifton Road, MS A04, Atlanta, GA 30329. *E-mail address:* vhz9@cdc.gov; *phone* 404-718-6551; *fax* 404-471-8559

Acknowledgements: The study took place in Atlanta, Georgia and was supported by the US Centers for Disease Control and Prevention (CDC) through Cooperative Agreement No. U48DP001909-01. CDC staff were

Download English Version:

https://daneshyari.com/en/article/8782638

Download Persian Version:

https://daneshyari.com/article/8782638

<u>Daneshyari.com</u>