

Accepted Manuscript


Title: Implementation and utilization of hypofractionation for breast cancer

Author: Philip Gilbo, Louis Potters, Lucille Lee

PII: S2452-1094(18)30064-2
DOI: <https://doi.org/10.1016/j.adro.2018.04.001>
Reference: ADRO 185

To appear in: *Advances in Radiation Oncology*

Received date: 29-11-2017
Revised date: 28-3-2018
Accepted date: 1-4-2018



Please cite this article as: Philip Gilbo, Louis Potters, Lucille Lee, Implementation and utilization of hypofractionation for breast cancer, *Advances in Radiation Oncology* (2018), <https://doi.org/10.1016/j.adro.2018.04.001>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Implementation and Utilization of Hypofractionation for Breast Cancer

Philip Gilbo, MD¹, Louis Potters, MD¹, Lucille Lee, MD¹

1. Department of Radiation Medicine, Northwell Health, Hofstra Northwell School of Medicine, Lake Success, NY

Corresponding author:

Lucille Lee, MD
Department of Radiation Medicine
Northwell Health
450 Lakeville Road
Lake Success, NY 11042
516-321-3000
llee3@northwell.edu

Short Title: Hypofractionation and Breast Cancer

Acknowledgement of Grant of Financial Support: No authors received a grant or financial support for this research.

Meeting Presentation Information: Presented in part at the 58th Annual Meeting of the American Society for Radiation Oncology, September 25-28th, 2016, Boston, MA

Conflict of Interest: None

Summary

Hypofractionation (HF) of radiation schedules for early stage breast cancer in the USA has been demonstrated to be below the utilization found elsewhere in the world. This institution developed a default-rule process in the form of clinical directives as well as daily contouring rounds to help standardize care within our large, multi-site, department. A review of breast cancer cases was performed to examine HF utilization over time, which has increased since these changes.

Download English Version:

<https://daneshyari.com/en/article/8784800>

Download Persian Version:

<https://daneshyari.com/article/8784800>

[Daneshyari.com](https://daneshyari.com)