


# Accepted Manuscript

Estimation of the future remnant liver function is a better tool to predict post-hepatectomy liver failure than platelet-based liver scores

T. Chapelle, B. Op de Beeck, A. Driessen, G. Roeyen, B. Bracke, V. Hartman, I. Huyghe, S. Morrison, D. Ysebaert, S. Francque



PII: S0748-7983(17)30647-9

DOI: [10.1016/j.ejso.2017.08.009](https://doi.org/10.1016/j.ejso.2017.08.009)

Reference: YEJSO 4727

To appear in: *European Journal of Surgical Oncology*

Received Date: 25 April 2017

Revised Date: 28 July 2017

Accepted Date: 10 August 2017

Please cite this article as: Chapelle T, Op de Beeck B, Driessen A, Roeyen G, Bracke B, Hartman V, Huyghe I, Morrison S, Ysebaert D, Francque S, Estimation of the future remnant liver function is a better tool to predict post-hepatectomy liver failure than platelet-based liver scores, *European Journal of Surgical Oncology* (2017), doi: 10.1016/j.ejso.2017.08.009.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Estimation of the future remnant liver function is a better tool to predict post-hepatectomy liver failure than platelet-based liver scores

T. Chapelle<sup>a</sup>, B. Op de Beeck<sup>b</sup>, A. Driessen<sup>c</sup>, G. Roeyen<sup>a</sup>, B. Bracke<sup>a</sup>, V. Hartman<sup>a</sup>, I. Huyghe<sup>d</sup>, S. Morrison<sup>e</sup>, D. Ysebaert<sup>a</sup>, S. Franque<sup>f,g</sup>.

a. Department of Hepatobiliary, Endocrine and Transplantation Surgery,

Antwerp University Hospital, 2650 Edegem, Belgium. [Thiery.Chapelle@uza.be](mailto:Thiery.Chapelle@uza.be);

[Geert.Roeyen@uza.be](mailto:Geert.Roeyen@uza.be); [Bart.Bracke@uza.be](mailto:Bart.Bracke@uza.be); [Vera.Hartmann@uza.be](mailto:Vera.Hartmann@uza.be); [Dirk.Ysebaert@uza.be](mailto:Dirk.Ysebaert@uza.be)

b. Department of Radiology,

Antwerp University Hospital, 2650 Edegem, Belgium. [Bart.OpdeBeeck@uza.be](mailto:Bart.OpdeBeeck@uza.be)

c. Department of Pathology,

Antwerp University Hospital, 2650 Edegem, Belgium. [Ann.Driessen@uza.be](mailto:Ann.Driessen@uza.be).

d. Department of Nuclear Medicine,

Antwerp University Hospital, 2650 Edegem, Belgium. [Ivan.Huyghe@uza.be](mailto:Ivan.Huyghe@uza.be)

e. Department of Anesthesiology,

Antwerp University Hospital, 2650 Edegem, Belgium. [Stuart.Morrison@uza.be](mailto:Stuart.Morrison@uza.be)

f. Department of Gastroenterology and Hepatology,

Antwerp University Hospital, 2650 Edegem, Belgium. [Sven.Franque@uza.be](mailto:Sven.Franque@uza.be)

g. Laboratory of Experimental Medicine and Pediatrics

Faculty of Medicine and Health Care Sciences, University of Antwerp. [Sven.Franque@uza.be](mailto:Sven.Franque@uza.be)

Corresponding Author:

Dr. T. Chapelle,

Department of Hepatobiliary, Endocrine and Transplantation Surgery,

Antwerp University Hospital, Wilrijkstraat 10, B-2650 Edegem, Belgium.

e-mail: [Thiery.Chapelle@uza.be](mailto:Thiery.Chapelle@uza.be)

Telephone: +32(0)38215705 or +32(0)477330414      FAX: +32(0)38214117

Download English Version:

<https://daneshyari.com/en/article/8787069>

Download Persian Version:

<https://daneshyari.com/article/8787069>

[Daneshyari.com](https://daneshyari.com)