Accepted Manuscript

Predictive performance of four programmed cell death ligand 1 assay systems on nivolumab response in previously treated patients with non-small cell lung cancer

Daichi Fujimoto, MD, Yuki Sato, MD, Keiichiro Uehara, MD, Kaori Ishida, MD, Junya Fukuoka, MD, PhD, Takeshi Morimoto, MD, MPH, Hayato Kawachi, MD, Ryobu Mori, MD, Munehiro Ito, MD, Shunsuke Teraoka, MD, Kazuma Nagata, MD, Atsushi Nakagawa, MD, Kojiro Otsuka, MD, PhD, Yukihiro Imai, MD, PhD, Keisuke Tomii, MD, PhD

PII: S1556-0864(17)33072-1

DOI: 10.1016/j.jtho.2017.11.123

Reference: JTHO 810

To appear in: Journal of Thoracic Oncology

Received Date: 2 June 2017

Revised Date: 6 November 2017

Accepted Date: 7 November 2017

Please cite this article as: Fujimoto D, Sato Y, Uehara K, Ishida K, Fukuoka J, Morimoto T, Kawachi H, Mori R, Ito M, Teraoka S, Nagata K, Nakagawa A, Otsuka K, Imai Y, Tomii K, Predictive performance of four programmed cell death ligand 1 assay systems on nivolumab response in previously treated patients with non-small cell lung cancer, *Journal of Thoracic Oncology* (2018), doi: 10.1016/ j.jtho.2017.11.123.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Word counts

Text: 3565/4000 words Abstract: 247/250 words

Predictive performance of four programmed cell death ligand 1 assay systems on nivolumab response in previously treated patients with non-small cell lung cancer

Daichi Fujimoto, MD *^{a†}; Yuki Sato, MD ^{a†}; Keiichiro Uehara, MD ^b; Kaori Ishida, MD ^c; Junya Fukuoka, MD, PhD ^c; Takeshi Morimoto, MD, MPH ^{d,e}; Hayato Kawachi, MD ^a; Ryobu Mori, MD ^a; Munehiro Ito, MD ^a; Shunsuke Teraoka, MD ^a; Kazuma Nagata, MD ^a; Atsushi Nakagawa, MD ^a; Kojiro Otsuka, MD, PhD ^a; Yukihiro Imai, MD, PhD ^b; Keisuke Tomii, MD, PhD ^a

[†] These authors contributed equally to this work.

^aDepartment of Respiratory Medicine, Kobe City Medical Center General Hospital, Kobe, Japan ^bDepartment of Clinical Pathology, Kobe City Medical Center General Hospital, Kobe, Japan ^cDepartment of Pathology, Nagasaki University Hospital, Nagasaki, Japan ^dClinical Research Center, Kobe City Medical Center General Hospital, Kobe, Japan ^eDepartment of Clinical Epidemiology, Hyogo College of Medicine, Nishinomiya, Japan

Intended category: Original article

*Corresponding author: Daichi Fujimoto, MD Department of Respiratory Medicine, Kobe City Medical Center General Hospital 2-1-1 Minatojima-Minamimachi, Chuo-ku, Kobe 650-0047, Japan Tel: +81-783024321 Fax: +81-783027537 E-mail: daichi@kcho.jp

Authors' yuki1130sato@gmail.com; Email Addresses: Yuki Sato: Keiichiro Uehara: keiichiro.uehara@gmail.com; Kaori Ishida: kishida0906@nagasaki-u.ac.jp; Junya Fukuoka: fukuokaj@nagasaki-u.ac.jp; Takeshi Morimoto: tm@hyo-med.ac.jp; Havato Kawachi: kwhat0729@gmail.com; Ryobu Mori: ryobu126@gmail.com; Munehiro Ito: mito16@kuhp.kyoto-u.ac.jp; Download English Version:

https://daneshyari.com/en/article/8787744

Download Persian Version:

https://daneshyari.com/article/8787744

Daneshyari.com