

Accepted Manuscript

Prognostic Impact of Margin Distance and Tumor Spread Through Air Spaces in Limited Resection for Primary Lung Cancer

Kyohei Masai, Hiroyuki Sakurai, Aoi Sukeda, Shigeki Suzuki, Keisuke Asakura, Kazuo Nakagawa, Hisao Asamura, Shun-ichi Watanabe, Noriko Motoi, Nobuyoshi Hiraoka

PII: S1556-0864(17)30727-X

DOI: [10.1016/j.jtho.2017.08.015](https://doi.org/10.1016/j.jtho.2017.08.015)

Reference: JTHO 685

To appear in: *Journal of Thoracic Oncology*

Received Date: 6 April 2017

Revised Date: 5 August 2017

Accepted Date: 21 August 2017

Please cite this article as: Masai K, Sakurai H, Sukeda A, Suzuki S, Asakura K, Nakagawa K, Asamura H, Watanabe S-i, Motoi N, Hiraoka N, Prognostic Impact of Margin Distance and Tumor Spread Through Air Spaces in Limited Resection for Primary Lung Cancer, *Journal of Thoracic Oncology* (2017), doi: 10.1016/j.jtho.2017.08.015.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Original Article**Prognostic Impact of Margin Distance and Tumor Spread Through Air Spaces in Limited Resection for Primary Lung Cancer**

Kyohei Masai,^{1,2,3} Hiroyuki Sakurai,^{2,4} Aoi Sakeda,¹ Shigeki Suzuki,² Keisuke Asakura,² Kazuo Nakagawa,² Hisao Asamura³, Shun-ichi Watanabe,² Noriko Motoi¹ and Nobuyoshi Hiraoka¹

1: Division of Pathology, Department of Pathology and Clinical Laboratories, National Cancer Center Hospital, Tokyo, Japan

2: Division of Thoracic Surgery, National Cancer Center Hospital, Tokyo, Japan

3: Division of Thoracic Surgery, Keio University School of Medicine, Tokyo, Japan

4: Division of Respiratory Surgery, Nihon University School of Medicine

Corresponding author: Noriko Motoi, MD, PhD, Division of Pathology, Department of Pathology and Clinical Laboratories, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan.

TEL; +81-3-3542-2511, FAX; +81-3-5565-7029

E-mail address: nmotoi@ncc.go.jp

Keywords: Lung cancer, Tumor Spread Through Air Spaces (STAS), Tumor Margin, Limited

Download English Version:

<https://daneshyari.com/en/article/8787877>

Download Persian Version:

<https://daneshyari.com/article/8787877>

[Daneshyari.com](https://daneshyari.com)