


Accepted Manuscript

Heteromeric MT₁/MT₂ melatonin receptors modulate the scotopic electroretinogram via PKC ζ in mice

Ilaria Piano, Kenkichi Baba, Claudia Gargini, Gianluca Tosini



PII: S0014-4835(18)30249-5

DOI: [10.1016/j.exer.2018.07.026](https://doi.org/10.1016/j.exer.2018.07.026)

Reference: YEXER 7448

To appear in: *Experimental Eye Research*

Received Date: 31 March 2018

Revised Date: 5 July 2018

Accepted Date: 25 July 2018

Please cite this article as: Piano, I., Baba, K., Claudia Gargini, , Tosini, G., Heteromeric MT₁/MT₂ melatonin receptors modulate the scotopic electroretinogram via PKC ζ in mice, *Experimental Eye Research* (2018), doi: 10.1016/j.exer.2018.07.026.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Heteromeric MT₁/MT₂ Melatonin Receptors Modulate the Scotopic Electroretinogram via PKC ζ in mice.

Ilaria Piano,^{1,2*} Kenkichi Baba,^{1*} Claudia Gargini,² Gianluca Tosini¹

¹Neuroscience Institute, Department of Pharmacology and Toxicology Morehouse School of Medicine, Atlanta, Georgia, United States

²Dipartimento di Farmacia, Università di Pisa, Pisa, Italy

*These authors equally contributed to this study

Correspondence to: Gianluca Tosini, Ph.D.

720 Westview Dr. SW, Atlanta GA 30130

Phone: 404-752 1913

Fax: 404-752 1041

e-mail address: gtosini@msm.edu

Keywords: melatonin, retina, PCK ζ , melatonin receptors, ERG

Download English Version:

<https://daneshyari.com/en/article/8791854>

Download Persian Version:

<https://daneshyari.com/article/8791854>

[Daneshyari.com](https://daneshyari.com)