Accepted Manuscript

TSLP-activated dendritic cells induce T helper type 2 inflammation in *Aspergillus fumigatus* keratitis

Lin Sun, Chenyang Dai, Jiayin Wu, Chen Chen, Xinyi Wu

PII: S0014-4835(17)30796-0

DOI: 10.1016/j.exer.2018.03.014

Reference: YEXER 7325

To appear in: Experimental Eye Research

Received Date: 15 November 2017

Revised Date: 8 March 2018

Accepted Date: 13 March 2018

Please cite this article as: Sun, L., Dai, C., Wu, J., Chen, C., Wu, X., TSLP-activated dendritic cells induce T helper type 2 inflammation in *Aspergillus fumigatus* keratitis, *Experimental Eye Research* (2018), doi: 10.1016/j.exer.2018.03.014.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



TSLP-activated dendritic cells induce T helper type 2 inflammation in Aspergillus

fumigatus keratitis

Lin Sun^{a,b}, Chenyang Dai^{a,b}, Jiayin Wu^a, Chen Chen^{a,b}, Xinyi Wu^{a,*}

^a Department of Ophthalmology, Qilu Hospital of Shandong University, Jinan, Shandong, PR China.

^b The Key Laboratory of Cardiovascular Remodeling and Function Research, Chinese Ministry of Education and Chinese Ministry of Health; The State and Shandong Province Joint Key Laboratory of Translational Cardiovascular Medicine, Qilu Hospital of Shandong University, Jinan, Shandong, China.

*Corresponding author: Department of Ophthalmology, Qilu Hospital of Shandong University, Wenhua Xi Road 107, Jinan, Shandong 250012, PR China. Tel.:+86 531 82169206; fax: +86 531 82169206.

E-mail address: xywu8868@163.com (X. Wu).

Abstract

Thymic stromal lymphopoietin (TSLP) is an IL-7-like cytokine, which is secreted by epithelial cells under the stimulation of Toll-like receptor (TLR) ligands. Dendritic cells (DCs) which express the thymic stromal lymphopoietin receptor (TSLPR) can be activated by TSLP. Mature DCs can express the OX40 ligand, which has the ability to combine with OX40 on the Download English Version:

https://daneshyari.com/en/article/8791991

Download Persian Version:

https://daneshyari.com/article/8791991

Daneshyari.com