Accepted Manuscript



Visualizing melanosomes, lipofuscin, and melanolipofuscin in human retinal pigment epithelium using serial block face scanning electron microscopy

Andreas Pollreisz, Jeffrey D. Messinger, Kenneth R. Sloan, Tamara Mittermueller, Alexandra S. Weinhandl, Emily K. Benson, Grahame J. Kidd, Ursula Schmidt-Erfurth, Christine A. Curcio

PII: S0014-4835(17)30614-0

DOI: 10.1016/j.exer.2017.10.018

Reference: YEXER 7229

To appear in: *Experimental Eye Research*

Received Date: 23 August 2017

Revised Date: 17 October 2017

Accepted Date: 17 October 2017

Please cite this article as: Pollreisz, A., Messinger, J.D., Sloan, K.R., Mittermueller, T., Weinhandl, A.S., Benson, E.K., Kidd, G.J., Schmidt-Erfurth, U., Curcio, C.A., Visualizing melanosomes, lipofuscin, and melanolipofuscin in human retinal pigment epithelium using serial block face scanning electron microscopy, *Experimental Eye Research* (2017), doi: 10.1016/j.exer.2017.10.018.

For Experimental Eye Research

Visualizing melanosomes, lipofuscin, and melanolipofuscin in human retinal pigment epithelium using serial block face scanning electron microscopy

Andreas Pollreisz [1]; Jeffrey D. Messinger [2]; Kenneth R. Sloan [2, 3]; Tamara Mittermueller [1]; Alexandra S. Weinhandl [1]; Emily K. Benson [4]; Grahame J. Kidd [4, 5]; Ursula Schmidt-Erfurth [1]; Christine A. Curcio [2]

[1] Ophthalmology, Medical University Vienna, Vienna, Austria; [2] Ophthalmology, University of Alabama at Birmingham, Birmingham, AL, United States; [3] Computer Science, University of Alabama at Birmingham, Birmingham, AL, United States; [4] Renovo Neural Inc., Cleveland, OH, United States; [5] Neurosciences, Cleveland Clinic, Lerner Research Institute, Cleveland, OH, United States

Running Head: Visualizing RPE organelles by SBFSEM

Metrics: 4223 words in main text; 5 figures; 1 table; 1 supplementary figure

Financial disclosure:
This work was supported by a Macula Society Research Grant, unrestricted funds to the Department of Ophthalmology at University of Alabama at Birmingham from Research to Prevent Blindness, Inc., and EyeSight Foundation of Alabama. Human tissues were obtained with funds from NIH grant EY06109 (CAC), P30 EY003039, and International Retinal Research Foundation

Corresponding Address:
Christine A. Curcio, PhD; Department of Ophthalmology; EyeSight Foundation of Alabama Vision Research Laboratories; 1670 University Boulevard Room 360; University of Alabama School of Medicine; Birmingham AL 35294-0099; Ph 205.996.8682; F 205.934.3425; Email curcio@uab.edu

Conflict of Interest statement:
Emily Benson: Employment (Renovo Neural Inc.); Grahame J Kidd: Consultant (Renovo Neural Inc.)