Accepted Manuscript

Title: Surgical management of chronic Achilles tendon ruptures using less invasive techniques

Authors: Nicola Maffulli, Francesco Oliva, Gayle D. Maffulli, Angelo Del Buono, Nikolaos Gougoulias

PII: S1268-7731(17)30038-3

DOI: http://dx.doi.org/doi:10.1016/j.fas.2017.02.002

Reference: FAS 1004

To appear in: Foot and Ankle Surgery

Received date: 12-11-2016 Revised date: 27-1-2017 Accepted date: 7-2-2017

Please cite this article as: Maffulli Nicola, Oliva Francesco, Maffulli Gayle D, Buono Angelo Del, Gougoulias Nikolaos.Surgical management of chronic Achilles tendon ruptures using less invasive techniques. *Foot and Ankle Surgery* http://dx.doi.org/10.1016/j.fas.2017.02.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Surgical management of chronic Achilles tendon ruptures

using less invasive techniques

Nicola Maffulli ^{1,2}, Francesco Oliva ³, Gayle D. Maffulli ⁴, Angelo Del Buono ⁵, Nikolaos

Gougoulias⁶

1. Department of Musculoskeletal Disorders, Faculty of Medicine and Surgery, University of

Salerno, Baronissi, Salerno, Italy

2. Centre for Sports and Exercise Medicine, Barts and The London School of Medicine and

Dentistry, Mile End Hospital, London E1 4DG, UK.

3. Department of Orthopaedics and Traumatology, University of Rome "Tor Vergata", Rome,

Italy.

4. Surgical Trials Unit, Curis Consulting, London

5. Department of Orthopaedic and Trauma Surgery, Ospedale Vaio Via Don Enrico Tincati, 5,

43036 Fidenza (PR), Italy

6. Department of Orthopaedics, Frimley Health NHS Foundation Trust, Frimley Park Hospital,

Portsmouth Road, Camberley, Surrey GU16 7UJ, United Kingdom

Corresponding Author: Prof Nicola Maffulli

Highlights

Surgical management of chronic Tendo Achillis ruptures may require tendon grafting.

We examined the outcome of three different minimally invasive tendon transfer techniques.

We used free ipsilateral semitendinosus, ipsilateral peroneus brevis or ipsilateral flexor

1

Download English Version:

https://daneshyari.com/en/article/8798229

Download Persian Version:

https://daneshyari.com/article/8798229

<u>Daneshyari.com</u>