

Accepted Manuscript

Title: Five times sit-to-stand test in subjects with total knee replacement: reliability and relationship with functional mobility tests

Authors: Francesc Medina-Mirapeix, Iván Vivo-Fernández, Juan López-Cañizares, José A. García-Vidal, Josep Carles Benítez-Martínez, María Elena del Baño-Aledo



PII: S0966-6362(17)30984-0
DOI: <https://doi.org/10.1016/j.gaitpost.2017.10.028>
Reference: GAIPOS 5857

To appear in: *Gait & Posture*

Received date: 14-4-2017
Revised date: 7-10-2017
Accepted date: 29-10-2017

Please cite this article as: Medina-Mirapeix Francesc, Vivo-Fernández Iván, López-Cañizares Juan, García-Vidal José A, Benítez-Martínez Josep Carles, del Baño-Aledo María Elena. Five times sit-to-stand test in subjects with total knee replacement: reliability and relationship with functional mobility tests. *Gait and Posture* <https://doi.org/10.1016/j.gaitpost.2017.10.028>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: Five times sit-to-stand test in subjects with total knee replacement: reliability and relationship with functional mobility tests.

Authors: Francesc Medina-Mirapeix PT, PhD,¹ Iván Vivo-Fernández PT,¹ Juan López-Cañizares, PT,¹ José A. García-Vidal PT, PhD,¹ Josep Carles Benítez-Martínez, PT, PhD,² María Elena del Baño-Aledo, PT, PhD,¹

Author Affiliations:

¹Department of Physical Therapy University of Murcia, Spain

²Department of Physical Therapy University of Valencia, Spain.

Corresponding author:

María Elena del Baño-Aledo, Departamento de Fisioterapia, Facultad de Medicina, Universidad de Murcia, 30100, Campus de Espinardo, Murcia, Spain.

Telephone number: +34.868.88.41.99 E-mail: mbano@um.es

ABSTRACT

The objective was to determine the inter-observer and test/retest reliability of the “Five-repetition sit-to-stand” (5STS) test in patients with total knee replacement (TKR). To explore correlation between 5STS and two mobility tests. A reliability study was conducted among 24 (mean age 72.13, S.D. 10.67; 50% were women) outpatients with TKR. They were recruited from a traumatology unit of a public hospital via convenience sampling. A

Download English Version:

<https://daneshyari.com/en/article/8798696>

Download Persian Version:

<https://daneshyari.com/article/8798696>

[Daneshyari.com](https://daneshyari.com)