

Accepted Manuscript

Title: Pilot Testing of a Variable Stiffness Transverse Plane Adapter for Lower Limb Amputees

Author: Corey Pew Glenn K. Klute PhD

PII: S0966-6362(16)30604-X
DOI: <http://dx.doi.org/doi:10.1016/j.gaitpost.2016.10.003>
Reference: GAIPOS 5182

To appear in: *Gait & Posture*

Received date: 15-7-2016
Revised date: 23-9-2016
Accepted date: 3-10-2016



Please cite this article as: Pew Corey, Klute Glenn K. Pilot Testing of a Variable Stiffness Transverse Plane Adapter for Lower Limb Amputees. *Gait and Posture* <http://dx.doi.org/10.1016/j.gaitpost.2016.10.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Full Article**Pilot Testing of a Variable Stiffness Transverse Plane Adapter for Lower Limb Amputees**

Manuscript Submitted to:

GAIT & POSTURE on July 15, 2016, revised on September 23, 2016

Corey Pew^{1,2}, Glenn K. Klute^{1,2}

¹Department of Mechanical Engineering, University of Washington, Seattle, WA 98195;

²Department of Veterans Affairs Center for Limb Loss Prevention and Prosthetic Engineering, 1660 S. Columbian Way, Seattle, WA 98108

Corey Pew
VAPSHCS
1660 S. Columbian Way,
Seattle, WA 98108
Email: coreypew@u.washington.edu
Phone: (817) 729-8883

Glenn K. Klute, PhD
VAPSHCS
1660 S. Columbian Way,
Seattle, WA 98108
Email: gklute@u.washington.edu
Phone: (206) 277-6724

Abstract word count: 192

Narrative word count: 2990

Tables: 2

Figures: 3

Download English Version:

<https://daneshyari.com/en/article/8798708>

Download Persian Version:

<https://daneshyari.com/article/8798708>

[Daneshyari.com](https://daneshyari.com)