

# Accepted Manuscript

Does Severity of Acetabular Dysplasia Influence Clinical Outcomes Following  
Periacetabular Osteotomy? – A Case Control Study

George Grammatopoulos, Paul E. Beaulé, MD, FRCSC, Cecilia Pascual-Garrido, Jeff  
Nepple, MD, John C. Clohisy, MD



PII: S0883-5403(18)30286-9

DOI: [10.1016/j.arth.2018.03.028](https://doi.org/10.1016/j.arth.2018.03.028)

Reference: YARTH 56520

To appear in: *The Journal of Arthroplasty*

Received Date: 13 December 2017

Revised Date: 8 March 2018

Accepted Date: 11 March 2018

Please cite this article as: Grammatopoulos G, Beaulé PE, Pascual-Garrido C, Nepple J, ANCHOR Group, Clohisy JC, Does Severity of Acetabular Dysplasia Influence Clinical Outcomes Following Periacetabular Osteotomy? – A Case Control Study, *The Journal of Arthroplasty* (2018), doi: 10.1016/j.arth.2018.03.028.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **Does Severity of Acetabular Dysplasia Influence Clinical Outcomes Following Periacetabular Osteotomy? – A Case Control Study**

George Grammatopoulos<sup>1</sup>  
 Paul E. Beaulé, MD, FRCSC<sup>2</sup>  
 Cecilia Pascual-Garrido<sup>3</sup>  
 Jeff Nepple, MD<sup>3</sup>  
 ANCHOR Group  
 John C. Clohisy, MD<sup>3</sup>

1. University College London Hospital  
 Hip Reconstruction Service and a Senior Clinical Lecturer  
 University College London  
 Bloomsbury, London NW1 2BU, UK
2. Ottawa General Hospital  
 Ottawa, ON, Canada K1H 8L6
3. Department of Orthopaedic Surgery  
 Washington University School of Medicine  
 Barnes-Jewish Hospital  
 St. Louis, MO 63110

ANCHOR Study Group Members who contributed to this article:

Young-Jo Kim, MD, PhD, Michael B. Millis, MD, David A. Podeszwa, MD, Perry L. Schoenecker, MD, Rafael J. Sierra, MD, Ernest L. Sink, MD, Daniel J. Sucato, MD, Robert T. Trousdale, MD, and Ira Zaltz, MD

This work was supported in part by the Curing Hip Disease Fund (JCC) and the ANCHOR Research Fund.

Please address all correspondence to:

John C. Clohisy, MD  
 Department of Orthopaedic Surgery  
 Washington University School of Medicine  
 660 S. Euclid, Campus Box 8233  
 St. Louis, MO 63110  
 USA

Phone: (314) 747-2566  
 FAX: (314) 747-2599  
 Email: [jclohisy@wustl.edu](mailto:jclohisy@wustl.edu)

Download English Version:

<https://daneshyari.com/en/article/8799187>

Download Persian Version:

<https://daneshyari.com/article/8799187>

[Daneshyari.com](https://daneshyari.com)