

Accepted Manuscript

Risk Factors for Early Dislocation Following Primary Elective Total Hip Arthroplasty

Elizabeth B. Gausden, MD, Harman Parhar, MD, Joseph Popper, MD, Peter K. Sculco, MD, Barret Rush, MD, MPH



PII: S0883-5403(17)31140-3

DOI: [10.1016/j.arth.2017.12.034](https://doi.org/10.1016/j.arth.2017.12.034)

Reference: YARTH 56311

To appear in: *The Journal of Arthroplasty*

Received Date: 3 November 2017

Revised Date: 12 December 2017

Accepted Date: 14 December 2017

Please cite this article as: Gausden EB, Parhar H, Popper J, Sculco PK, Rush B, Risk Factors for Early Dislocation Following Primary Elective Total Hip Arthroplasty, *The Journal of Arthroplasty* (2018), doi: 10.1016/j.arth.2017.12.034.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Risk Factors for Early Dislocation Following Primary Elective Total Hip Arthroplasty

Elizabeth B. Gausden, MD*
Hospital for Special Surgery
New York, New York 10021

Harman Parhar, MD
University of British Columbia
Vancouver, BC Canada V6T 1Z4

Joseph Popper, MD
Mayo Clinic
Rochester, MN 55905

Peter K. Sculco, MD
Hospital for Special Surgery
New York, New York 10021

Barret Rush, MD, MPH
Harvard T.S. Chan School of Public Health
Boston, MA 02215

*Corresponding author
Elizabeth B. Gausden, MD
Hospital for Special Surgery
535 E. 70th Street
New York, NY 10021
gausdene@hss.edu
Telephone: (646) 350-9897
Fax: (212) 606-1477

Download English Version:

<https://daneshyari.com/en/article/8799431>

Download Persian Version:

<https://daneshyari.com/article/8799431>

[Daneshyari.com](https://daneshyari.com)