


Accepted Manuscript

Modifiable risk factors are common in early revision hip and knee replacement

James R. Kee, M.D., Simon C. Mears, M.D., Paul K. Edwards, M.D., C. Lowry Barnes, M.D.



PII: S0883-5403(17)30588-0

DOI: [10.1016/j.arth.2017.07.005](https://doi.org/10.1016/j.arth.2017.07.005)

Reference: YARTH 55985

To appear in: *The Journal of Arthroplasty*

Received Date: 7 April 2017

Revised Date: 14 June 2017

Accepted Date: 6 July 2017

Please cite this article as: Kee JR, Mears SC, Edwards PK, Barnes CL, Modifiable risk factors are common in early revision hip and knee replacement, *The Journal of Arthroplasty* (2017), doi: 10.1016/j.arth.2017.07.005.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Modifiable risk factors are common in early revision hip and knee replacement

James R. Kee, M.D.*

JKee@uams.edu

Simon C. Mears, M.D.

SCMears@uams.edu

Paul K. Edwards, M.D.

PKEdwards@uams.edu

C. Lowry Barnes, M.D.

CLBarnes@uams.edu

Department of Orthopaedic Surgery

University of Arkansas for Medical Sciences, Little Rock, AR, USA.

4301 West Markham Street, Slot 531

Little Rock, AR 72205.

*Corresponding Author

University of Arkansas for Medical Sciences, Little Rock, AR, USA.

4301 West Markham Street, Slot 531

Little Rock, AR 72205

P: 501-230-8186

F: 501-603-1984

Download English Version:

<https://daneshyari.com/en/article/8799704>

Download Persian Version:

<https://daneshyari.com/article/8799704>

[Daneshyari.com](https://daneshyari.com)