Author's Accepted Manuscript

Shoulder replacement for glenohumeral osteoarthritis in young patients: Stemless total shoulder arthroplasty trumps resurfacing arthroplasty

Aydın BUDEYRI, Raffaele Garofalo, Sumant G. Krishnan



 PII:
 S1045-4527(17)30086-X

 DOI:
 https://doi.org/10.1053/j.sart.2017.12.002

 Reference:
 YSART50774

To appear in: Seminars in Arthroplasty

Cite this article as: Aydın BUDEYRI, Raffaele Garofalo and Sumant G. Krishnan, Shoulder replacement for glenohumeral osteoarthritis in young patients: Stemless total shoulder arthroplasty trumps resurfacing arthroplasty, *Seminars in Arthroplasty*, doi:10.1053/j.sart.2017.12.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Shoulder replacement for glenohumeral osteoarthritis in young patients: Stemless

total shoulder arthroplasty trumps resurfacing arthroplasty

Authors

Aydın BUDEYRI, MD, FEBOT^{1,2} *Raffaele Garofalo*, MD³ Sumant G Krishnan, MD²

Affliations

¹Baylor University Medical Center The Shoulder Center, Dallas/TX USA

²SANKO University, Faculty of Medicine Department of Orthopaedics and Traumatology, Gaziantep/TURKEY manus

³Upper limb unit, F Miulli Hospital, Acquaviva delle fonti-Ba, ITALY

Corresponding Author:

Aydın BUDEYRI, MD, FEBOT

aydin.budeyri@bswhealth.com

+1-469-2260078

ABSTRACT

In the past 2 decades, advancements have been made in procedures for preserving and restoring the function of the proximal humerus when treating glenohumeral (GH) osteoarthritis. This review addresses two surgical options for GH osteoarthritis in the young patient, stemless total shoulder arthroplasty and resurfacing arthroplasty. These procedures preserve bone stock, have low complication rates, ease future revision if indicated, and report equal if not superior results compared with stemmed implant options. Comparative studies

Download English Version:

https://daneshyari.com/en/article/8804076

Download Persian Version:

https://daneshyari.com/article/8804076

Daneshyari.com