

# Accepted Manuscript

Title: Discriminative ability of commonly used indices to predict adverse outcomes after poster lumbar fusion: a comparison of demographics, ASA, the modified charlson comorbidity index, and the modified frailty index

Author: Nathaniel T. Ondeck, Daniel D. Bohl, Patawut Bovonratwet, Ryan P. McLynn, Jonathan J. Cui, Blake N. Shultz, Adam M. Lukasiewicz, Jonathan N. Grauer

PII: S1529-9430(17)30234-6  
DOI: <http://dx.doi.org/doi: 10.1016/j.spinee.2017.05.028>  
Reference: SPINEE 57339

To appear in: *The Spine Journal*

Received date: 30-11-2016  
Revised date: 24-4-2017  
Accepted date: 25-5-2017

Please cite this article as: Nathaniel T. Ondeck, Daniel D. Bohl, Patawut Bovonratwet, Ryan P. McLynn, Jonathan J. Cui, Blake N. Shultz, Adam M. Lukasiewicz, Jonathan N. Grauer, Discriminative ability of commonly used indices to predict adverse outcomes after poster lumbar fusion: a comparison of demographics, ASA, the modified charlson comorbidity index, and the modified frailty index, *The Spine Journal* (2017), <http://dx.doi.org/doi: 10.1016/j.spinee.2017.05.028>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Discriminative ability of commonly used indices to predict adverse outcomes after poster  
lumbar fusion: A comparison of demographics, ASA, the modified Charlson Comorbidity  
Index, and the modified Frailty Index**

Nathaniel T. Ondeck, B.S.<sup>a</sup>  
Daniel D. Bohl, M.D., M.P.H.<sup>b</sup>  
Patawut Bovonratwet, B.S.<sup>a</sup>  
Ryan P. McLynn, B.S.<sup>a</sup>  
Jonathan J. Cui, B.S.<sup>a</sup>  
Blake N. Shultz, B.A.<sup>a</sup>  
Adam M. Lukasiewicz, M.D.<sup>a</sup>  
Jonathan N. Grauer, M.D.<sup>a</sup>

<sup>a</sup> Department of Orthopaedics and Rehabilitation, Yale School of Medicine, 800 Howard  
Avenue, New Haven, CT 06510

<sup>b</sup> Department of Orthopaedic Surgery, Rush University Medical Center, 1611 W. Harrison St,  
Suite 400, Chicago, IL 60612

**Prepared for submission to:** The Spine Journal

**Correspondence:**

Jonathan N. Grauer

Department of Orthopaedics and Rehabilitation

Yale School of Medicine

800 Howard Ave, New Haven, CT 06510

Tel: 203-737-7463, Fax: 203-785-7132, Email: jonathan.grauer@yale.edu

**ABSTRACT**

**Background Context:** As research tools, the American Society of Anesthesiologist physical  
classification system (ASA), the modified Charlson Comorbidity Index (mCCI), and the  
modified Frailty Index (mFI) have been associated with complications following spine  
procedures. However, with respect to clinical utility for various adverse outcomes, no known  
study has compared the predictive performance of these indices specifically following posterior  
lumbar fusion (PLF).

Download English Version:

<https://daneshyari.com/en/article/8804610>

Download Persian Version:

<https://daneshyari.com/article/8804610>

[Daneshyari.com](https://daneshyari.com)