

Accepted Manuscript

Population-based cross-sectional study to assess newborn hearing screening program in central Germany

Anke Rissmann, Andrea Koehn, Marja Loderstedt, Cornelia Schwemmle, Gerrit Goetze, Sylva Bartel, Stefan K. Plontke, Joerg Langer, Klaus Begall, Peter Matulat, Friedrich-Wilhelm Roehl, Ulrich Vorwerk

PII: S0165-5876(18)30051-X

DOI: [10.1016/j.ijporl.2018.01.035](https://doi.org/10.1016/j.ijporl.2018.01.035)

Reference: PEDOT 8869

To appear in: *International Journal of Pediatric Otorhinolaryngology*


Received Date: 18 September 2017

Revised Date: 22 January 2018

Accepted Date: 23 January 2018

Please cite this article as: A. Rissmann, A. Koehn, M. Loderstedt, C. Schwemmle, G. Goetze, S. Bartel, S.K. Plontke, J. Langer, K. Begall, P. Matulat, F.-W. Roehl, U. Vorwerk, Population-based cross-sectional study to assess newborn hearing screening program in central Germany, *International Journal of Pediatric Otorhinolaryngology* (2018), doi: 10.1016/j.ijporl.2018.01.035.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Population-based cross-sectional study to assess Newborn Hearing Screening Program in Central Germany

Anke Rissmann¹, Andrea Koehn¹, Marja Loderstedt², Cornelia Schwemmler², Gerrit Goetze³, Sylva Bartel³, Stefan K. Plontke³, Joerg Langer⁴, Klaus Begall⁴, Peter Matulat⁵, Friedrich-Wilhelm Roehl⁶, Ulrich Vorwerk²

¹ Newborn Hearing Screening Tracking Centre, Malformation Monitoring Centre Saxony-Anhalt, Medical Faculty Otto-von-Guericke University Magdeburg, Leipziger Strasse 44, 39120 Magdeburg, Germany

² Department of Otorhinolaryngology, University Hospital Magdeburg, Leipziger Strasse 44, 39120 Magdeburg, Germany

³ Department of Otorhinolaryngology, Head and Neck Surgery, Martin Luther University Halle-Wittenberg, University Medicine Halle (Saale), Ernst-Grube-Strasse 40, 06120 Halle (Saale), Germany

⁴ Department of Otorhinolaryngology, AMEOS Hospital Halberstadt, Gleimstrasse 5, 38820 Halberstadt, Germany

⁵ Department of Phoniatics and Pedaudiology, University Hospital Münster, Kardinal-von-Galen-Ring 10, 48149 Münster, Germany

⁶ Department for Biometry and Medical Informatics, Medical Faculty Otto-von-Guericke University Magdeburg, Leipziger Strasse 44, 39120 Magdeburg, Germany

Corresponding Author

Anke Rissmann

Malformation Monitoring Centre Saxony-Anhalt

Newborn Hearing Screening Tracking Centre

Medical Faculty Otto-von-Guericke University Magdeburg

Leipziger Strasse 44

39120 Magdeburg

Tel.: + 49/391/67 14174

Fax: + 49/391/67 14176

anke.rissmann@med.ovgu.de

Conflict of interest:

The authors declare that they have no potential conflict of interest relevant to this article.

Download English Version:

<https://daneshyari.com/en/article/8806336>

Download Persian Version:

<https://daneshyari.com/article/8806336>

[Daneshyari.com](https://daneshyari.com)