


Accepted Manuscript

Small cell lymphocytic variant of marginal zone lymphoma: A distinct form of marginal zone lymphoma derived from naïve B cells as a cutaneous counterpart to the naïve marginal zone lymphoma of splenic origin

Cynthia M. Magro, Luke C. Olson

PII: S1092-9134(18)30035-2
DOI: doi:[10.1016/j.anndiagpath.2018.02.006](https://doi.org/10.1016/j.anndiagpath.2018.02.006)
Reference: YADPA 51238

To appear in:



Please cite this article as: Cynthia M. Magro, Luke C. Olson , Small cell lymphocytic variant of marginal zone lymphoma: A distinct form of marginal zone lymphoma derived from naïve B cells as a cutaneous counterpart to the naïve marginal zone lymphoma of splenic origin. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Yadpa*(2017), doi:[10.1016/j.anndiagpath.2018.02.006](https://doi.org/10.1016/j.anndiagpath.2018.02.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ARTICLE TYPE: Review Article

TITLE: Small cell lymphocytic variant of marginal zone lymphoma: A distinct form of marginal zone lymphoma derived from naïve B cells as a cutaneous counterpart to the naïve marginal zone lymphoma of splenic origin

AUTHORS: Cynthia M. Magro, M.D.^a and Luke C. Olson, M.D.^a

^aDepartment of Pathology and Laboratory Medicine, New York Presbyterian Hospital/Weill Cornell Medicine, New York, NY, USA

CORRESPONDING AUTHOR:

Cynthia M. Magro, M.D.
Professor of Pathology & Laboratory Medicine
Division of Dermatopathology
Director of Dermatopathology
Weill Cornell Medical College of Cornell University
1300 York Ave, Room F309-B
New York, NY 10065
P: (212) 746-6434
F: (212) 746-8570

FUNDING SOURCES: This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

CONFLICTS OF INTEREST: None to declare.

KEYWORDS: Primary cutaneous marginal zone lymphoma, naïve small cell lymphocytic marginal zone lymphoma of the skin.

Abstract:

Primary cutaneous marginal zone lymphoma most commonly represents an indolent form of cutaneous B cell lymphoma. However, epidermotropic marginal zone lymphoma, blastic marginal zone lymphoma and B cell dominant variants without isotype switching can be associated with extracutaneous dissemination. The presumptive cell of origin is a post

Download English Version:

<https://daneshyari.com/en/article/8807218>

Download Persian Version:

<https://daneshyari.com/article/8807218>

[Daneshyari.com](https://daneshyari.com)