Accepted Manuscript

A distinctive subgroup of oral EBV+ B-cell neoplasm with polymorphous features is potentially identical to EBV+ mucocutaneous ulcer

Yae Ohata DDS, Anna Tatsuzawa BS, Yoshio Ohyama DDS, PhD, Ayako Ichikawa MD, PhD, Yumi Mochizuki DDS, PhD, Sachiko Ishibashi, Yuri Itakura, Kei Sakamoto DDS, PhD, Tohru Ikeda DDS, PhD, Masanobu Kitagawa MD, PhD, Kouhei Yamamoto MD, PhD


PII: S0046-8177(17)30358-1

DOI: doi: 10.1016/j.humpath.2017.09.013

Reference: YHUPA 4355

To appear in: Human Pathology

Received date: 10 August 2017 Revised date: 19 September 2017 Accepted date: 29 September 2017



Please cite this article as: Ohata Yae, Tatsuzawa Anna, Ohyama Yoshio, Ichikawa Ayako, Mochizuki Yumi, Ishibashi Sachiko, Itakura Yuri, Sakamoto Kei, Ikeda Tohru, Kitagawa Masanobu, Yamamoto Kouhei, A distinctive subgroup of oral EBV+ B-cell neoplasm with polymorphous features is potentially identical to EBV+ mucocutaneous ulcer, *Human Pathology* (2017), doi: 10.1016/j.humpath.2017.09.013

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Original Article

A distinctive subgroup of oral EBV+ B-cell neoplasm with polymorphous features is potentially identical to EBV+ mucocutaneous ulcer

Yae Ohata, D.D.S.^a, Anna Tatsuzawa, B.S.^{b,c}, Yoshio Ohyama, D.D.S., Ph.D., Ayako Ichikawa, M.D., Ph.D.^{e,f}, Yumi Mochizuki, D.D.S., Ph.D., Sachiko Ishibashi^b, Yuri Itakura^h, Kei Sakamoto, D.D.S., Ph.D., Tohru Ikeda, D.D.S., Ph.D., Masanobu Kitagawa, M.D., Ph.D. and Kouhei Yamamoto, M.D., Ph.D.

^aDepartment of Oral Pathology, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, Tokyo, Japan

^bDepartment of Comprehensive Pathology, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, Tokyo, Japan

^cDepartment of Analytical Information of Clinical Laboratory Medicine, Graduate School of Health Care Science, Bunkyo Gakuin University, 1-19-1, Mukougaoka, Bunkyo-ku, Tokyo, Japan

^dDepartment of Maxillofacial Surgery, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, Tokyo, Japan

^eDepartment of Hematology, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, Tokyo, Japan

^fInstitute of Education, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, Tokyo, Japan

⁹Department of Oral and Maxillofacial Surgery, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, Tokyo, Japan ^hDivision of Surgical Pathology, Tokyo Medical and Dental University Hospital, 1-5-45 Yushima, Bunkyo-ku Tokyo, Japan

Download English Version:

https://daneshyari.com/en/article/8807754

Download Persian Version:

https://daneshyari.com/article/8807754

Daneshyari.com