

A prediction model for spontaneous regression of cervical intraepithelial neoplasia grade 2, based on simple clinical parameters

Margot M Koeneman MD, Freyja HM van Lint MD, Sander MJ van Kuijk PhD, Luc JM Smits PhD, Loes FS Kooreman MD PhD, Roy FPM Kruitwagen MD PhD, Arnold J Kruse MD PhD

PII: S0046-8177(16)30232-5
DOI: doi: 10.1016/j.humpath.2016.09.012
Reference: YHUPA 4009

To appear in: *Human Pathology*

Received date: 12 May 2016
Revised date: 30 August 2016
Accepted date: 9 September 2016

Please cite this article as: Koeneman Margot M, van Lint Freyja HM, van Kuijk Sander MJ, Smits Luc JM, Kooreman Loes FS, Kruitwagen Roy FPM, Kruse Arnold J, A prediction model for spontaneous regression of cervical intraepithelial neoplasia grade 2, based on simple clinical parameters, *Human Pathology* (2016), doi: 10.1016/j.humpath.2016.09.012

A prediction model for spontaneous regression of cervical intraepithelial neoplasia grade 2, based on simple clinical parameters

Margot M KOENEMAN, MD[1,2], Freyja HM van LINT, MD[1,2], Sander MJ van KUIJK, PhD[3], Luc JM SMITS, PhD[4], Loes FS KOOREMAN, MD PhD[5], Roy FPM KRUITWAGEN, MD PhD[1,2], Arnold J KRUSE, MD PhD[1,2]

1 Department of Obstetrics and Gynecology, Maastricht University Medical Center, PO box 5800, 6202 AZ, Maastricht, the Netherlands

2 GROW - School for Oncology and Developmental Biology, Maastricht University, PO box 616, 6200 MD, Maastricht, the Netherlands

3 Department of Clinical Epidemiology and Medical Technology Assessment, Maastricht University Medical Center, PO box 5800, 6202 AZ, Maastricht, the Netherlands.

4 Department of Epidemiology, Maastricht University, PO box 616, 6200 MD, Maastricht, the Netherlands

5 Department of Pathology, Maastricht University Medical Center, PO box 5800, 6202 AZ, Maastricht, the Netherlands