

# Accepted Manuscript

Thyroglossal duct cyst coexisting with a fistulous tract

Ramin Salimnejad, Arash Hasirbaf Momtaz, Ziba Ghoreishi, Majid Shokoohi, Daniyal Bolandhemmat, Mohammad Amin Dolatkah, Hamed Shoorei, Seyyed Mostafa Ghavami



PII: S2213-5766(17)30190-2

DOI: [10.1016/j.epsc.2017.09.030](https://doi.org/10.1016/j.epsc.2017.09.030)

Reference: EPSC 848

To appear in: *Journal of Pediatric Surgery Case Reports*

Received Date: 24 July 2017

Revised Date: 20 September 2017

Accepted Date: 23 September 2017

Please cite this article as: Salimnejad R, Momtaz AH, Ghoreishi Z, Shokoohi M, Bolandhemmat D, Dolatkah MA, Shoorei H, Ghavami SM, Thyroglossal duct cyst coexisting with a fistulous tract, *Journal of Pediatric Surgery Case Reports* (2017), doi: 10.1016/j.epsc.2017.09.030.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Thyroglossal Duct Cyst Coexisting with a Fistulous Tract, A Rare Case

## Report and Literature Review

Ramin Salimnejad<sup>1</sup>, Arash Hasirbaf Momtaz<sup>2</sup>, Ziba Ghoreishi<sup>3</sup>, Majid Shokoohi<sup>1</sup>,  
Daniyal Bolandhemmat<sup>4</sup>, Mohammad Amin Dolatkah<sup>1</sup>, Hamed Shoorei<sup>1\*</sup>, Seyyed  
Mostafa Ghavami<sup>5</sup>

<sup>1</sup>*Department of Anatomical Sciences, Faculty of Medicine, Tabriz University of Medical Sciences, Tabriz, Iran.*

<sup>2</sup>*Department of Anatomical Sciences, Faculty of Medicine, Tarbiat Modares University, Tehran, Iran.*

<sup>3</sup>*Department of Nursing, Faculty of Paramedical, Mashhad University of Medical Sciences, Mashhad, Iran.*

<sup>4</sup>*Department of Medical Sciences, Faculty of Medicine, Birjand University of Medical Sciences, Birjand, Iran.*

<sup>5</sup>*Department of Radiology, Faculty of Medicine, Tabriz University of Medical Sciences, Tabriz, Iran.*

**\*Corresponding author:** Hamed Shoorei. Gholgasht Ave, Tabriz University of Medical Sciences, Faculty of Medicine, Tabriz, Iran. Tel: +98-41-33342086; Fax: +98-41-33342086; Cell Phone, 989357551569; Email: [h.shoorei@gmail.com](mailto:h.shoorei@gmail.com)

### Abstract

An 11-year-old boy was admitted to the hospital complaining of odorous discharge from an opening in the anterior region of the left side of his neck. During physical examinations, we understood that his cyst moved with deglutition and protrusion of the tongue. In order to get a correct diagnosis of the patient problem, fistulography with contrast agent meglumine was done from the patient neck in two projections, anterior-posterior and anterior-posterior-oblique. By information obtained of physical examinations and his neck radiographs, thyroglossal duct cyst coexisting with a fistulous tract was diagnosed. In adolescents and adults, thyroglossal duct cyst

Download English Version:

<https://daneshyari.com/en/article/8811101>

Download Persian Version:

<https://daneshyari.com/article/8811101>

[Daneshyari.com](https://daneshyari.com)