Accepted Manuscript

Two-stage flap repair of severe hypospadias: usefulness of the tubularized incised plate urethroplasty

K.H. Tijani, E. Idiodi-Thomas, A.O. Elebute, F. Alakaloko, R.W. Ojewola, A. Ademuyiwa

PII: \$1477-5131(17)30202-4

DOI: 10.1016/j.jpurol.2017.04.017

Reference: JPUROL 2547

To appear in: Journal of Pediatric Urology

Received Date: 28 December 2016

Accepted Date: 25 April 2017

Please cite this article as: Tijani KH, Idiodi-Thomas E, Elebute AO, Alakaloko F, Ojewola RW, Ademuyiwa A, Two-stage flap repair of severe hypospadias: usefulness of the tubularized incised plate urethroplasty, *Journal of Pediatric Urology* (2017), doi: 10.1016/j.jpurol.2017.04.017.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Two-stage flap repair of severe hypospadias: usefulness of the tubularized incised plate urethroplasty

K. H. Tijani ^{a,*}, E. Idiodi-Thomas ^{b,†}, A. O. Elebute ^b, F. Alakaloko ^b, R. W. Ojewola ^a, A. Ademuyiwa ^b

^aSection of Urology, Department of Surgery, College of Medicine, University of Lagos (CMUL)/Lagos University Teaching Hospital (LUTH), Lagos, Nigeria

^bSection of Pediatric Surgery, Department of Surgery, College of Medicine, University of Lagos (CMUL)/Lagos University Teaching Hospital (LUTH), Lagos, Nigeria

†Deceased

*Corresponding author.

E-mail address: Habeeb_tijani@yahoomail.com or khtijani@cmul.edu.ng (K. H. Tijani)

Download English Version:

https://daneshyari.com/en/article/8811916

Download Persian Version:

https://daneshyari.com/article/8811916

<u>Daneshyari.com</u>